App F IX 4

Previous References

1945 46 (2nd)

File No 11-45

Serial Nos 97 98 149 150

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 7 only

Part B for

SUBJECT

Appointment of a Surveyor to work under the President City Municipal Council Mysore in connection with the execution of water supply works costing Rs 1133 lakhs

The President, City Municipal Council Mysore

The Chief Engineer for Irrigation Bangalore, to favour of information

3493
L

General and Revenue Secretariat — ml — File No — of 1942-43 — [App F III—2

Serial No	
	from Mr Dclt, cap mc cl, Mysore
	No WT 595 Dy 20-11-42
	Requests that the Asst Exr Engineer, Water
	Supply, Mysore may be permitted
	to get the works to the extent of Rs 2500
	& below not involving any technical
	skill done directly under the orders
	of the DOH, & authorised to pay the bills etc
	Minutes of the Minister dt 30 P H
	on the Petn
1	"The opinion of the Director of Health
	may be obtained in the matter"
	on receipt of the letter Dy 19-11-42
	addressed to the Law Secy, the
	opinion of the Dr of P Health has
	been called for in this office U/O
	No 122-42 on 3-12-42
2	Submitted for orders.
	WKS. 9/12
3	The receipt of the opinion
	called for will be awaited
	Law Secy
	5/12
4	Another reference on the same subject has been received from the Dclt, cap mc cl, Mysore & is submitted for perusal. The opinion called for from

SECTT DEPTT

SOS A
C.S 10/12

P W D 11

NOTE—Contn Sheet

WD 03967—GPB—5 000—30 s 41

34935 3638 √ 3680

le No of 194 2-43 General and Revenue Secretariat

Dr of P Health will be awaited
Mines and the letter read
2/ on the subject today. Pl put it
up also
for
14/12/42
1) The letter received today is put up P & D III
12/ With refce to the letter
cd/12 refd from the President, dym
city MLA, the Dy P-H will be
requested to furnish his comments
early on the file refd to him originally 12-12
on 3/12/42.
Law secy 14/12/42
SECY LAW DEPT
GOVT OF MYSORE
14-12-42
8) Dpr Lemuel
15/12/42
note with a draft DO reminder for appl
B.
9/12
9) Issued
15/12/42
TYPING S
GEN &
Issued NO L6053 Dt 15/12/42
Issued
20/12
21 GS

G R S III—3]

3179
L

ROUTINE NOTES

[To be used only for notes, requisitions, etc , not intended for permanent record]

Letter No WT 596 dy 20-11-42 from the Addl, Cdg- Offr Cl, Mysore requesting that for the reasons stated that the works costing not more than Rs 2 500 & not involving any technical skill may be permitted to be undertaken by the Asstt Engineer of the water Supply- Deptt under the orders of the Dist, the latter officer paying the bills direct etc,

10 + I submit the Dist has also made reference to the Dr of P Health in this behalf dy appd, this will also be sent to the Dr of P Health unofficially for his remarks

11 | 1/10 on 29/11 | 20/11 dy The views of the Dr of P H may be obtained unofficially in the above proposal

SECY LAW DEPT 1942 GOVT OF MYSORE

N B —*should routine notes be written on small slips the notes must be copied or slips pasted on this form*

WD 078—GPB—30 000—25-7-40

Lawley
30-11-42
pm 1/12/1

3179
L

Ho 122 dt 3/12/42

Forwarded with Compliments to the Director of Health for favour of his remarks on the proposal made by the President, City Municipal Council, Mysore

By order
for Secy to Govt
3/12
Law Deptt
2/12

No C 102-120 dated 13-1-1943 and 4

14 Retransmitted with compliments to the Secretary to Government, Law Department

15 I enclose herewith a copy of this office Letter No C 102-120 dated 13-1-43 written this day to the President Municipal Council, Mysore, in reply to his letter No M T 590 dated 19th November 1942 which forms the subject matter of the unofficial file

SECY LAW DEPT 4.46 GOVT OF MYSORE

16 It will be clear from the letter and the accompanying statement that the allegation by the President, Mysore City Municipality that the delays are due to execution of the works in the Sanitary Bureau, is not based on facts The facts, on the other hand, point out the delay to be on the part of the Municipal President himself

17 The suggestion of the Municipal President to simplify the procedure so that the Assistant Engineer can undertake works on requisition by the President, the bills being paid for by the Municipality direct after scrutiny by the Water Supply Assistant Engineer is not acceptable as it will in effect shortcircuit the Sanitary Engineer's office and will lead to confusion in accounts in the Division office At th

Central and Revenue Secretariat

2179/1

same time one officer of one Department will be expected directly under another Departmental officer which will mean duel control The Municipal President has already been intimated that in case of urgent works the concerned work or works may be got done direct, irrespective of sanction to the estimate or allotment of funds and that the Assistant Engineer would be authorised accordingly Copy of the Sanitary Engineer's letter to the President and this office letter to the President are also enclosed for information of Government Ordinarily there would be no delay in taking up a work as the Assistant Engineers of Sanitary Sub Divisions are authorised to give away sanctioned works upto Rs 500/- to any local contractor at sanctioned rates without calling for quotations Even for works in excess of that amount and upto Rs 2,500/- the Assistant Engineers have been authorised by the Sanitary Engineer to give away the work immediately after calling for quotations to the lowest tenderer without waiting for formal sanction of the Sanitary Engineer

for Director of Public Health

18

Srnkd. As the Dir of P Health has already sent a reply to the President in this matter. A draft letter inviting his attention to the letter of the Director is put up

19 There are two or three letters more written by the President expressing other subject

20 Srnkd. The file containing the letters is linked herewith

21 All correspondence all in one file

16-1-43

16/1/43

24/1/43

25/1/43

3179 ✓ 3493 ✓ 3638 L ✓ 3680 L

Draft has been added to Subject for appl. of
W&S
26/1 ✓ the practice obtaining in this
671 ✓
88. respect in regard to the works carried
out by the P.W.D for the Channapatna
40293 Waterworks, which will be ascertained
80/43 from the Chief Engineer's Memo as to how the
procedure now adopted in regard to the
execution of works relating to Town
Water-supply, Drainage may be
simplified will also be ascertained

Law Secy ✓ for 27/1/43

PG 43

WTO 1 copy

W 163 07 28-1-43

W&S 26-1-43

for

Forwarded with W/S note Compliments to the
Chief Engineer of Mysore P.W.D for favour of
furnishing the information in the
points referred to above

B O

for Secretary to
Government
Law Dept

28/1/43

BD II Cl
copy
29/1/43
Gr 2/145 & 91

W&S 26

Forwarded to the Executive Engineer, Water Supply
& Drainage Division, for submitting a report at a very early date

V S 8/2

for Chief Engineer of Mysore

8/2

speeding up the works under the V V Wa
Supply installation in Nyamati

Continuation Sheet (Part) File No. / Current No of 12 Pages Page

27 This file was brought back from the Chief Engineer's Office on 16 2 1943

28 This subject was discussed at a meeting held on 10th February 1943 in the Chambers of the Minister for L S G and P H when the Director of Public Health, the Sanitary Engineer and the President, City Municipal Council, Mysore, were present It was agreed that in order to simplify the procedure and overcome the delay estimates for all works upto perhaps a thousand rupees may be got from the Superintendent, Vani Vilas Water works, Mysore, and works got executed by the Municipal Council and payments also made direct by the Municipal Council

29 The Sanitary Engineer felt that there may be some audit objection to this, but it was pointed out that as long as the works are booked in the Municipal Accounts only and did not come into the Sanitary Engineer's Accounts, there could be really no audit objection at all for this. It was also suggested and it was approved that, in order to get over these troubles, a Sub-Engineer may be appointed for being in charge of the water supply distribution works and this Sub-Engineer may work under the control of the Municipal President, the technical control ~~xxxxxx~~ however being with the Department of Public Health The expenditure in this behalf may be met by the Municipal Council, the same being included in the Annual Maintenance Estimates of the Vani Vilas ~~Water works~~ Water

30 All works below a limit to be prescribed may be

Speeding up the works under the V V water supply scheme

ntinuation Sheet File No Current No 3630/1 of Engineering Page 3

got done through this Sub-Engineer by the Municipal Council only, as long as no technical points were involved and no mains above 2½" or 3" were tapped This was agreed to

3) In regard to the adjustment of advances made by the Municipal Council for works to the extent of Rs 69,834/5/6 to the Bureau of Sanitary Engineering in connection with the V V ~~Sup~~ waterworks in the city, the Sanitary Engineer agreed to depute one of the clerk of his office to the City Municipal Office, Mysore, and get them verified and see that they are adjusted early

3) The President City Municipal Council, Mysore will be requested to submit proposals accordingly and a copy of the letter will be sent to the Dy C P-I for information

Laurie 18/2/43

33 It may be done & proposals called for

Accs 16-2-43 for 19/2/43

34) approved

35) was is not understood

Accs 19-2-43 Draft please for 19/2/43

Laurie 19 2 43

Accs 19-2-43 Draft please for 19/2/43

WD 1140—GPB—50 000—5-11-4.

26, Sheild with a draft letter for appl=
Wks 20/2 / 37/ A revised draft to the Pt=
for w/s / Engineer etc- and also instruc=
copies thereof will be sent to the
Dr of P.H & the Comptroller
38/ In regard to the orders at
para 35 supra, it a fact that the
President, etc- which has agreed to give
the services of a clerk to the Bureau of
Sanitary Engineering to compile monthly
accts- relating to the expen- incurred
under every head included in the
A.M estimates of the V V waterworks & to
furnish the information required for the
Engineer etc- M/L cl. The file containing
the draft proceedings on that subject - re
questing connection with the A-M estimates of
the V V waterworks, has been returned herewith

39/ The draft letter may be appd

Lawrence for
23/2/43

Wks 24-2-43

To The Dr, Engr Mech, Mysore
No 8629 dd 26-2-43
Calls for proposals

4 issue
Engrs

To The Dr of Health
The Comptroller No 8630-1 dd 26/2/43
Forwards a copy of the above

T ... SEC ... N
1 EB 1943
CEN & P... SECTT

Issued 27/2/43

Letter NO. C 102. 182 Dy 18 3 42 from the Do of P Health stating that he does not seem to be necessary to include the expenditure under the Addl estimate of Vani Vilas Water Works, arising out of the appointment of a sub Engineer proposed to be appointed subject for perusal Mr Dolt, city Mcl city Mysore has been asked to submit proposals in this behalf and they are awaited

K/CS 28/3 CS 28/3 (3) Mr Dy C-II seem to apprehend that, if the appointment is included in the Addl estimate of the V V waterworks, anyone one third of the pay of the sub Engineer may have to be met by Govt, accdg to standing orders there need be no such apprehension at all, as it has been definitely stated in the letter against this item that the entire expre on account of this post should be met by the Mysore city Mcl While sanctioning the post finally, it will also be ordered accordingly so as to leave no room for doubt—

11365 28/3

(4) The receipt of proposals from the Mysore city Mcl may be awaited

Hons A 27/3

WD 1140—GPB—50,000—5-11-42

Secy Fin 28/3/43 Secy Pub Works 24/3/43

5700 6281
2

Continuation Sheet ML File No / Current No 80 of 42 Page

Letter No MS 100-463/42 Dt 16-4-43 from the Addl. Dist. Magl. Mysore, stating that the ML had, at their meeting held on 31-3-43 resolved to the effect that the distribution system of the Vani Vilas Water works with all the existing staff may be handed over to the Mcpl that an Asst Engineer may be appointed in place of the Sub-Engineer as originally proposed

2/ The original proposal according to the decision arrived at at the meeting held in the Chambers of the Minister, H on 10-2-43, was to appoint a Sub-Engineer for carrying out the works costing Rs 1000 & below but now the ML has resolved to appoint an Asst Engineer instead of the Sub Engineer

It is also stated that submains of over 3" dia may be inserted in lieu of 2 1/2" since in many cases owing to want of 2 1/2" mains 3" mains are to be put in

Called for orders with a draft letter to the Dy Comm't calling for his remarks on the above proposal (the Dist letter will be sent in reply to the Dy Comm's report when it is received)

Issue 22-4-43

01 12/4/43
22/4/43

ING SECTION
APR 23

6281/L 7228/L

Continuation Sheet ml File No / Current No 80 of 42 Page

13 To Dr of P. Health
No L 10454 dt 26-4-43
Calls for his opinion in the matter
15 Letter No C 102-243 dt 27-5-43 from the Dr of P. Health furnishing his opinion in the matter
The enclosures sent in original have not been returned
submitted with draft letter for approval
14/6 dk 14/6 -51) Issued

TYPING SECTION
15 JUNE 1943
GEN & REV SECTT

14/6/43
Issued No L 12164 dt 15/6/43
Letter No 102-260 dt 8-6-43 from the Director of Public Health furnishing his opinion in the matter.
51) The Director of Public Health states that the works of execution contemplated to be transferred to the control of the municipal agency are after all very small & that they do not warrant the appointment of an Assistant Engineer which would lead to unnecessary heavy expenditure and also the Commissioner ~~& that therefore~~ is of opinion that it is enough if there is ~~Engineer for this~~ the President of the M C

Mysore as given the assistance of an Engineer engaged in the repair works limited to Rs 1000

(2) The D.M.O. Health is against not in favour of the President taking submains of over 2½ inches dia Stated that the question of transferring the distribution was never contemplated at the meeting in the Ministers Chambers on 10-2-43, & as such the question does not seem to arise at all

"subject for general orders

(16/7 16/7 Jan 43) The question of simplifying the existing procedure in the execution water supply works in order to obviate the delay now occurring was considered at a meeting held in the Secretariat on 10-2-43 The decisions arrived at the meeting were communicated by the Public Health Engineer for further action The P.H.E. has accordingly submitted his proposals which however differ in some respects from those decisions already reached in the meeting as shown below

Decisions at the meeting

A Asst Engineer on Rs 175-10-275 may be appointed to work directly under the Executive in connection with the above The pay should be met entirely from the P.H. funds

Posts proposed

An Asst Engineer on Rs 200-40-400 may be appointed to work as above in addition to his own duties The cost may be debited to the A & E estimates of the V.V.

2 In all instances wherever technical hands are involved existing distribution pipes 2½" diameter are to be tapped, the work should be done after obtaining the necessary permission from the Sanitary Engineer

2 This is agreed to, subject to the insertion of 3" in lieu of 2½" since in many cases owing to want of pressure, 3" mains are to be put in

3 [This point was not discussed at the meeting at all]

3 The distribution of the Vans will be entirely with all the existing staff might be handed over to the M.H.

(4) The Dir of P.H states that in order to avoid unnecessary heavy expenditure and Corporation in view of the smallness of the works proposed to be executed by the M.H. agency, it would be sufficient to appoint an Engineer officer on Rs 90-5-120 p.m. for the purpose instead of an Asst Engr for Sanitary Engineering and that here also the system of tapping, sub mains given 2½" pipe the added that the question of transferring the distribution system does not arise at all as it was not raised at the meeting For several reasons it is desirable that the distribution system as well as the Head works (pumping system etc) should be under the control of a single agency especially in the capital city as the Control must lead to effective & Comprehensive Hence not approved, the M.H. Procedure will be adopted that only an Engineer officer will be sanctioned to work directly under him in the connection with certain kinds

WD 1140-GPB—50 000—5-11-42

powers and that the other proposals cannot be sanctioned on hearing further afsm, hereby first order may be issued on the subject—

55) for order — vide para 4644 ante

Law Secy for 21/7/43

56) The opinion of the DOP is quite reasonable the Resolution may be announced forthwith accordingly

Rule 62-56

27-7-43

Secy LA/ DEPT Pbl 27/7/43 GOVT OF MYSORE

OFFICE OF THE MIN STER FOR L S G & P H Date 28 7 43 No 752

57) Sd -a 3 8 43 Secy 4-8-43.

58) Supp reqd here

59) Ref letter is put up

Secy LA/ DEPT 1626 GOVT OF MYSORE

Secy 7/8/43

60) Revised draft - is put up for approval.

Law Secy for 14/8/43

61) Secy 14/8/43

To the Pub, Cir, orders, duly done

62) Issue

NOL 2217 dt 20-8-43

14/8/43

Issues instructions in the matter

Secy 7/8/43

13/8/43

From the President City Municipal Council Mysore
M 4 248, 43-44 dt 12-9-45

Requests sanction of Govt to appoint a graduate Surveyor to work under the Municipal President and to permit the City Municipal Council to carry out the works relating to water supply costing Rs 1000- and below

63) Kindly reference is invited to para 53 of the notes supra

64) The President, Mysore City Municipal Council has requested sanction to the following proposals

1) Appointment of a graduate Surveyor to work under the Municipal President

2) to permit the City Municipal Council to carry out water supply works costing Rs 1000- and below, the Executive Engineer, water supply Division being consulted in all instances in which technical points are involved or where sub-mains of over 3" diameter are concerned

65) The Chief Engineer for Irrigation will be consulted in the matter

66 The entire position relating to the administration of the water supply arrangements at Mysore has changed owing to the transfer of the work from the Bureau of Sanitary Engineering to the Executive Engineer water supply Division & Works & Buildings. All that the Municipality Mad wanted was

that the contribution 3/c
which the Govt had promised
the necessary funds – specially those work
relating to the distribution system –
were not carried out quickly by
the Bureau with the result that there
was undue delay and the estimate were
revised several times over & the cost of work
was enhanced. If these defects are
attended to quickly, there may not
be any necessity for the HLC
carrying out such works. Tho' then
an agency
at the present proposal of this HL
President, Engineers, the opinion
of the Chief Engineer for Irrigation
may perhaps be sought for in this
matter.

67 Yes
Very necessary

Revenue Secy / 24/11/43

Dsd 23/XI



Memo no 91 dt 1/12/43

Forwarded with Compliments to the Chief Engineer for Irrigation in Mysore, for favour of Opinion

B-o

24/11/43 Ramachandra
for Revenue Secretary

P T O.

II(a) 6/ 3/12

By III

Returned, with compliments,

69) 2 Now that the administration of the Water Supply arrangements at Mysore has been transferred from the Sanitary Bureau to the Public Works Department and also the conditions are returning to normal after the cessation of War, no delay is apprehended in carrying out the contribution works Hence there is no need to alter the present system of working The services of an additional Surveyor may be placed ~~under~~ the - - disposal of the Assistant Engineer, Vani Vilas Water Works - exclusively for this purpose

058/5
three
18 12 45

The Secretary to Government,
Revenue Department,
Bangalore

CE I
18/12/45

70) It seems desirable if an additional Surveyor is posted to the Municipality to work under the Ass't Engr V V W Works as suggested by the Chief Engineer for Irrigation & Minister for Ed" & PH)

Done
19/12/

71) Ack
28/12/45

72) Dft for me
27/12/45

73) Submit with a draft - G O

4/1/46

The President may please enforce
11 Councillors
& 69 & 2, dt 8-1-46
sanction the above proposal

2/1

TYPING SECTION
5 JAN 1946
CE I & RE SECTT

6 48
d

From the president city Municipal Council Mysore
M-4 c 248/43-44 dated 12-3-46

states that the Municipal Council is not agreeable to the appointment of an additional Surveyor to work under the Assistant Engineer, Kanvilasa water works, and that the Surveyor in question may be ordered to work under the control of the president city Municipal Council, as resolved previously

5) It is after due consideration that Govt ordered in G.O No d 6982-4/M 11-43-45, dated 6-1-46, that the Surveyor in question should work under the Control of the Assistant Engineer, Kanvilasa water works, instead of under the Municipal president

6) No fresh grounds are urged for a reconsideration of the orders

7) For orders with reference to paras 6, 7, 70 & 71 supra

Ku 20/3

7) The M [illegible] are willing to have the post created of the asst Surveyor works under the M President & not under the Asst Engineer, Kanvilasa water works. Whether there is real necessity for this post is chiefly a question of fact which requires examination in the city in the case. Further, the work which

the Surveyor as expected to turn out
as of a technical nature & he shd
obtain guidance at every step from the
Asst Engineer and from the Resident. In
this view also, the proposal cannot be accepted
75 for orders with regard to para 69 to 71 supra
Receipt to 20 of this

80) There is no doubt in a Technical
subordinate of the Dept being
asked to work under the
President. The seems unusual
the official concerned is a
lower subordinate & he cannot
run up every time to the
President to obtain orders
instead of to his Asst Engr
On administrative grounds, it
would be useful if he worked
directly under the Asst Engr vvv

81) The Pt Council have taken a very
curious view & it cannot be accepted
This shows how Establishment is
asked for & sanction obtained
Even when the personnel appointed
are reduced properly

Minister for Ed" & Dk.

Dec 24/3)

CENTRAL REGISTRY
Education & P
21346
5812

6418

(2) The arrangement proposed by the Trust Council may be tried for one year JHB

12/4/46

DWD
12/4/46

(3) Dft for me
12/4/46

(4) should with a draft - yes

me
13/4

Yrs
for
I Bevin

To the President, Executive Office of the
I C of for signature
if Committee
L 11339 of 6-4-46
sanctions the proposal

TYPING SECTION
16 APR 1946

B

B S RAGHAVENDRA RAO
PRESIDENT

CITY MUNICIPAL COUNCIL
MYSORE

D O No W T 595 Ene 5 only

1942
3493/L

OFFICE OF THE ... ST ...
FOR L S G & P H
Date 5.12.42
No P.389

20th Nov, 1942.

LEGY LAW DEPT
GOVT OF MYSORE

Dear Sir,

Adverting to my conversation with you at Bangalore regarding the Water Supply works I am submitting herewith for your information a copy of my letter to the Secretary to Government, Law Department and also to the Director of Public Health in Mysore, Bangalore in this matter

Yours sincerely,

B S Raghavendra Rao
PRESIDENT 20 11

H B Gundappa Gowda, Esq ,B A.,B L ,
Minister for Local-Self Government
and Public Health, Camp, Mysore.

KSR

B S RAGHAVENDRA RAO
PRESIDENT

CITY MUNICIPAL COUNCIL
MYSORE

19th November 1942

Dear Sir,

I am enclosing herewith for your information a copy of my letter No 590 dated 19th November 1942 to the Director of Public Health I regret to state that there has been considerable delay in the execution of works by the Sanitary Department resulting in increased cost to the Municipality as is evidenced by the statement enclosed to the accompanying letter

I am also enclosing herewith a statement of outstandings and of course, it would not be right if I do not add that laterly every effort is being made to put down these outstandings But the trouble is with the procedure now followed which is very cumbersome and as long as this is followed a certain amount of delay cannot be avoided I have therefore proposed that works to the extent of Rs 2,500 and below not involving any technical skill are undertaken by the Assistant Engineer, Water Supply Department directly under the orders of the President, the latter Officer paying the bills direct

In this connection, I may add that although the Vani Vilas Water Works is under the Sanitary Engineer, 2/3 of the entire maintenance cost including distribution, is borne by this Municipality and unlike Bangalore the entire collections are attended to by the Municipality and all the distribution works <u>are paid for entirely by</u> Municipal funds

I therefore do not think that any principle will be violated if the above procedure is adopted resulting in a better and efficient execution of works and more than that in a savings of the enormous extra cost that is now being incurred by the delay in the execution of these works

Yours sincerely,

Sd) B S Raghavendra Rao

C Narayanaswamy,Esq ,B A ,B L,
Secretary to Government, Law Department,
<u>Bangalore</u>

Copy
B Raghavendra Rao
President

Copy of letter No 590 dated 19th November 1942, from the President, City Municipal Council, Mysore to the Director of Public Health in Mysore, Bangalore

======

I have the honour to enclose herewith for your information a statement of Water Supply works sanctioned by the Municipality remaining to be executed by the Sanitary Department The statement speaks for itself It will be seen from the statement that there has been considerable delay in the execution of these works and while ordinarily the delay would not mean any financial loss, now on account of the rise in prices the delay in the execution of these works by the Water Supply Department has resulted in very heavy increased cost to the Municipality It will also be seen from the statement that even where revised estimates are sanctioned re-revised estimates have been sent The total increased cost in respect of the estimates enclosed is Rs 26,236/- against Rs 19,484/- in the original estimate The present practice therefore I think, is to be changed Estimates are at present called for by the Municipality and the Assistant Engineer in charge of the Vani Vilas Water Works although the entire cost of these Water Works is borne by the Municipality sends the estimate to the Sanitary Engineer who sends it to the Municipality which sanctions and sends back to the Sanitary Engineer, who sends it again to the Assistant Engineer and he executes the work It seems to me that the whole procedure is very cumbersome Most of these works ordinarily cost not more than Rs 500/- and there are very few cases where any technical skill or supervision are required As the staff of the Vani Vilas Water Works is all paid for by the Municipality their technical skill etc , is at the disposal of the Municipality and this great

I may add that in the Municipality and the Trust Board there is only an Assistant Engineer and he attends to all our civil works and on the same analogy the Assistant Engineer in charge of Water Supply Division could attend to all our Water Supply works

" COPY "

PRESIDENT

delay and the increase in cost caused by these delays could all be avoided if the procedure is simplified and the Assistant Engineer asked to undertake works on requisition by the President of the Municipal Council, the bills being paid for by the Municipality direct after scrutiny by the Water Supply Assistant Engineer

This will avoid unnecessary accounting also in the several offices leading to the heavy outstandings shown in the enclosed statement In this connection, I wish to invite attention to letter No 557 dated 2nd November, 1942 of the Sanitary Engineer The Sanitary Engineer assumes that these works will be done by Municipal agency This is not correct These works will be got done under the agency and supervision of the Assistant Engineer, Water Works in respect of whom and his staff and the maintenance of the Vani Vilas Water Works the Municipality pays 2/3 the entire charge and the works in question are entirely paid for by the Municipality

I therefore request that if you have no objection Government may be moved to allow the Assistant Engineer to directly undertake all works requisitioned by the Municipal President, the latter Officer paying bills direct in all cases where the amount does not exceed Rs 2,500/-

In case of works in excess of Rs 2,500/- or requiring any technical skill or supervision, I have no objection to their being referred to the Sanitary Engineer I may add that this will save correspondence in the Water Supply section of this Office by at least 50% and the large outstandings, accounting of which has become very difficult will automatically cease There ought to be no other trouble also since as already stated 2/3 of the Vani Vilas Water Works staff is paid for by the Municipality and it cannot be stated that their services are not available for Municipal works

STATEMENT SHOWING THE SANCTIONED ESTIMATES FOR WHICH REVISED ESTIMATES ARE YET SUBSEQUENTLY RECEIVED FOR SANCTION

Particulars	Original Estimate	Date of Receipt	Date of Which mount ment	Revised Estimate	D te of receipt	Date on which amount ent	
For laying 2½" C I submain and erecting - a fountain in Fullin- Tcdi in Krayana Chetty Road	Rs 1318/-	8-7-41	8-11-41	1631/-	15-6-42	6-7-42	
For installing a public fountain near Door No 2757 Padaver Talli	" 210/-	12-11-41	3-1-42	234/-	24-5-42	26-6-42	
For providing a public fountain in Adijamvay Road, Jalapuri	" 337/-	10-10-41	20-2-42	530/-	29-4-42	6-7-42	
For installing three public fountains in Block No 29-30 Lachaiar Pchalla	Rs 1429/-	9-10-41	4-12-41	2180/-	2 -5-42	13-6-42	A further revised estimate for Rs 2250/- is received which is not yet sanctioned
Providing public fountain at Ganig ra kari and Hulim cremation grounds	s 1200/-	21-5-42	6-7-42	2025/-	9-9-42	Not sanctioned	
Laying submain in 7th Block Chamundi Extension	" 666/-	20-6-42	6-7-42	1109/-	17-9-42	26-10-42	
Providing public fountain behind Durgabai Saheb Mosque, Kundy Mohalla	Rs 237/-	10-9-41	6-11-41	230/-	3-7-42	29-7-42	
Installing a public fountain in Papanna Talli, Nazarbad Mohalla	" 342/-	10-5-42	22-5-42	645/-	20-7-42	Not sanctioned	
Laying a 2" submain in Labour Block Narasimharaja Mohalla	Rs 596/-	17-9-41	15-12-41	623/-	15-10-42	- do -	

10.	Installing a public fountain by the side of house No 3808 Edigа	Rs 104/-	25-5-42	26-6-42	231/-	30-9-42	Not sanctioned
11.	Installing a public fountain by the side of house No 3740, Edig , Mandy Mohalla, Mysore	Rs 104/-	25-5-42	26-6-42	231/-	30-9-42	Not sanctioned
12	For shifting public fountain near house No 3564 Edigа Mandy Mohalla	Rs 61/-	25-5-42	26-6-42	191/-	30-9-42	Not sanctioned
13	Laying Mains and submains to Madava-Giri Extension near High level Reservoir	Rs 12,980/-	28-6-38		15,985/-		16-11-41
	Total -	Rs 19,484/-			Rs 26,236/-		

for PRESIDENT

15

Department of Public ealth

List of Works pending in the Sanitary Dep

(Extract from the statement enclosed with his l

Sl No	Name of Works	Amount of the Estimate	Amount deposited	Ou of
1	Cost of giving Water connection and tap to Sewage Farm (balance)	Rs 1,776	1,776	1,
2.	For providing Water connection to Nazarbad Cattle pound	Rs 31	31	
3	- do - to Fort Cattle pound	Rs 89	89	
4	For laying main and submain to give Water connection to poor houses in Kurchatti Road (balance)	Rs 6,514	6,514	5,
5	Cost of laying 1½" submain to give Water connection to new houses in Saraswathipur Extension	Rs 2,952	2,952	1,
6	For erecting public fountains and 1" submain in Maratha Block Narasimharaja Mohalla, Mysore	Rs 1,069	1,069	
7	For providing a public tap in Yarekatte at Lashkar Mohalla	Rs 213	213	
8	Wastage of laying mains and submains in Rajput and Maratha Block Narasimharaja Mohalla	Rs 3,022	3,022	
9	For shifting a public fountain in Dewan's Road	Rs 79	79	
10	- do - near Mirza Hussain's house in Sandy Mohalla, Mysore	Rs 124	124	
11	For laying 1"submain in Konti-Koppal Village	Rs 443	443	
12	For providing a public fountain near Ananda Press, Kalidkeri	Rs 81	31	
13	For shifting a public fountain in No 5 Udiga (Chickve rranna's Street)	Rs 33	33	
14	Revised Estimate for laying a portion of 3" C I main to 2" submain in Hantody Road Extension, Fort Mohalla(balance)	Rs 5,010 Revised	4,523	3,51
15	Revised estimate for providing public fountain with a cattle trough in Hunsentody cart stand			

B S RAGHAVENDRA RAO
PRESIDENT

3179/A

CITY MUNICIPAL COUNCIL
MYSORE

19th Novr 1942

D O No W T 596/20-11-'42
Ene 3 only

Rel 80-42—b

Dear Sir,

I am enclosing herewith for your information a copy of my letter No 590 dated 19th November 1942 to the Director of Public Health I regret to state that there has been considerable delay in the execution of works by the Sanitary Department resulting in increased cost to the Municipality as is evidenced by the statement enclosed to the accompanying letter

I am also enclosing herewith a statement of outstandings and of course, it would not be right if I do not add that laterly every effort is being made to put down these outstandings But the trouble is with the procedure now followed which is very cumbersome and as long as this is followed a certain amount of delay cannot be avoided I have therefore proposed that works to the extent of Rs 2,500 and below not involving any technical skill are undertaken by the Assistant Engineer, Water supply department directly under the orders of the President, the latter Officer paying the bills direct

In this connection I may add that although the Vani Vilas Water Works is under the Sanitary Engineer, ⅔ of the entire maintenance cost including distribution, is borne by this Municipality and unlike Bangalore the entire collections are attended to by the Municipality and all the distribution works are paid for entirely by Municipal funds

I therefore do not think that any principle will be violated if the above procedure is adopted resulting in a better and efficient execution of works and more than that in a savings of the enormous extra cost that is now being incurred by the delay in the execution of

P T O

of these works.

Yours sincerely,

PRESIDENT. 19/4.

C Narayanaswamy Naidu, Esq , B A ,B L.,
Secretary to Government, Law Department,
BANGALORE

KSR

Department of Public Health

List of Works pending in the Sanitary Depart

(Extract from the statement enclosed with his l

Sl. No	Name of Works.	Amount of the Estimate.	Amount deposited	Out of
1.	Cost of giving Water connection and tap to Sewage Farm (balance)	.. Rs 1,776	1,776	1,3(
2.	For providing Water connection to Nazaroad Cattle pound.	.. Rs 31	31	
3.	- do - to Fort Cattle pound.	.. Rs 89	89	
4	For laying main and submain to give Water connection to poor houses in Varahatti Road.(balance)	. Rs 6,514	6,514	5,5(
5	Cost of laying 1½" submain to give Water connection to new houses in Saraswathipur Extension	Rs 2,952	2,952	1,9(
6.	For erecting public fountains and 1½" submain in Harata Pleck Narasimharaja Mohalla, Mysore.	..Rs 1,069	1,069	9'
7	For providing a public tap in Yarekatte at Lashkar Mohalla.	.. Rs 213	213	1
8	Wastage of laying mains and submains in Rajput and Marathe Pleck Narasimharaja Mohalla.	.. Rs 3,022	3,022	
9.	For shifting a public fountain in Dewan's Road	.. Rs 79	79	
0.	- do - near Mirza Hussain's House in Mandy Mohalla, Mysore.	. Rs 124	124	
	For laying 1½"submain in Venti-Koppal Village.	.. Rs 443	443	76
	For providing a public fountain near Anand Prema, Halladakeri	Rs 81	81	5
	For shifting a public fountain in No 5 Madiga (Chickve rranna's Street)	.. Rs 33	33	
	Revised Estimate for laying a portion of 3" C.I. main to 2" submain in Kanantody Road Extension, Fort Mohalla(balance)	. Rs 5,010 Revised.	4,523	515
	Revised estimate for providing public fountain with a cattle trough in Anantody cart stand.	. Rs 619	619	

Copy of letter No 590 dated 19th November 1942, from the President, City Municipal Council, Mysore to the Director of Public Health in Mysore, Bangalore

---

I have the honour to enclose herewith for your information a statement of Water Supply works sanctioned by the Municipality remaining to be executed by the Sanitary Department The statement speaks for itself It will be seen from the statement that there has been considerable delay in the execution of these works and while ordinarily the delay would not mean any financial loss, now on account of the rise in prices the delay in the execution of these works by the Water Supply Department has resulted in very heavy increased cost to the Municipality It will also be seen from the statement that even where revised estimates are sanctioned re-revised estimates have been sent The total increased cost in respect of the estimates enclosed is Rs 26,236/- against Rs 19,482/- in the original estimate The present practice therefore I think, is to be changed Estimates are at present called for by the Municipality and the Assistant Engineer in charge of the Vani Vilas Water Works although the entire cost of these Water Works is borne by the Municipality sends the estimate to the Sanitary Engineer who sends it to the Municipality which sanctions and sends back to the Sanitary Engineer, who sends it again to the Assistant Engineer and he executes the work It seems to me that the whole procedure is very cumbersome Most of these works ordinarily cost not more than Rs 500/- and there are very few cases where any technical skill or supervision are required As the staff of the Vani Vilas Water Works is all paid for by the Municipality their technical skill etc is at the disposal of the Municipality and this great

delay and the increase in cost caused by these delays could all be avoided if the procedure is simplified and the Assistant Engineer asked to undertake works on requisition by the President of the Municipal Council, the bills being paid for by the Municipality direct after scrutiny by the Water Supply Assistant Engineer

This will avoid unnecessary accounting also in the several offices leading to the heavy outstandings shown in the enclosed statement In this connection, I wish to invite attention to letter No 557 dated 2nd November, 1942 of the Sanitary Engineer The Sanitary Engineer assumes that these works will be done by Municipal agency This is not correct These works will be got done under the agency and supervision of the Assistant Engineer, Water Works in respect of whom and his staff and the maintenance of the Vani Vilas Water Works the Municipality pays 2/3 the entire charge and the works in question are entirely paid for by the Municipality

I therefore request that if you have no objection Government may be moved to allow the Assistant Engineer to directly undertake all works requisitioned by the Municipal President, the latter Officer paying bills direct in all cases where the amount does not exceed Rs 2,500/-

In case of works in excess of Rs 2,500/- or requiring any technical skill or supervision, I have no objection to their being referred to the Sanitary Engineer I may add that this will save correspondence in the Water Supply section of this Office by at least 50% and the large outstandings, accounting of which has become very difficult will automatically cease There ought to be no other trouble also since as already stated 2/3 of the Vani Vilas Water Works staff is paid for by the Municipality and it cannot be stated that their services are not available for Municipal works

I may add that in the Municipality and the Trust Board there is only an Assistant Engineer and he attends to all our civil works and on the same analogy the Assistant Engineer in charge of Water Supply Division could attend to all our Water Supply works.

" COPY "

PRESIDENT.

Extract from D O Letter No 1422 dated 31st May 1942 from the Sanitary Engineer, Bangalore, to the President, City Municipal Council, Mysore

---

As regards the suggestion in para 5 your proposal amounts to short-circuiting this office which will lead to very heavy confusion in accounts nor do I agree to your proposal that the bills should be sent to you direct by the Superintendent, Vani Vilas Water Works, and paid by you In all instances it does not matter if the estimate is not sanctioned but if any particular work is considered urgent and unnecessarily to be taken up immediately, I can assure you that the work will immediately be put on hand on receiving instructions from you to the effect that the matter is urgent and that the work may be put on hand immediately pending sanction and allotment of grant by you The Superintendent, Vani Vilas Water Works, Mysore, will also be advised by me that whenever such an instruction is directly communicated by you to him, the work should straight away be put on hand I hope with this assurance you will agree that the present practice might be continued

---

"Copy"

Director of Public Health

No MS-1700 63/42

*36387/L

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE.

Dated 7th December 91L

Jr mysc

PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE

To
C. RAYANASWAMY NAIDU, ESQ , B A ,B L ,
Secretary to the Government of His Highness
the Maharaja of Mysore, Law Department,
Bangalore

Sir,

Subject - Execution of ordinary water supply distribution works by the Municipality, through the agency of Vani Vilas Water Works, Mysore, to save the extra expenditure incurred on account of the fluctuation of rates for materials etc

---

In forwarding herewith the marginally* noted resolutions passed by the Managing Committee and the Municipal Council regarding the above, I have the honour to stateas follows -

(1) Managing Committee Resolution No 77/23-11-1942
(2) Municipal Council resolution No 374/28-11-1942
(3) Municipal Council Resolution No 379/28-11-1942

2 The existing procedure for the laying of water supply mains and submains installation of public

fountains and other petty works, is that the Municipality sends the proposal to the Superintendent, Vani Vilas Water Works, who prepares estimates, plans etc , and sends them to the Sanitary Engineer The Sanitary Engineer forwards the estimates and plans to this offi On obtaining necessary sanction by the Managing Commit or the Council, the cost of the estimate is sent by a cheque to the Sanitary Engineer, the amount being debited to 'Advances Recoverable', Under Rule 239 M A M The works being treated as 'Deposit Contributions Work The estimates are then sent by the Sanitary Engineer after attending to the formalities prescribed by rules (calling for quotations etc) to the Superintendent, Mysore who attends to their execution This procedure although it caused considerable delay in the execution of the work and involved a lot of accounting, did not till now however affect the Municipality's financially But, now, under the present conditions, when the rates for materials are increasing day by day the above procedure in addition to contributing to delay in the

the execution of works and/accounting difficulties - referred to above, has involved extra cost to the Municipality and I note below a few instances where the Municipality has had to pay increased amounts in the cases of works sanctioned by them but not taken up - promptly

	Amount of original estimate	Date of sanction	Date of Revised estimate	Amount of Rev Est	Excess cost to be paid for, by the Municipality
1	104	22-6-42	30-9-42	231	127
2	104	22-6-42	30-9-42	231	127
3	61	22-6-42	30-9-42	191	130
4	1200	27-6-42	9-9-42	2025	825

2. These instances could be multiplied Copies of reports accompanying the above estimates as received from the Sanitary Engineer are also enclosed herewith, wherefrom it could be seen that the revision of these estimates is mainly due to the increase of prices of materials

3. In view of the above circumstances, the Managing Committee proposed and the Municipal Council have approved of the suggestion of the ~~Municipality~~ Committee in taking up the execution of these works themselves through the agency

of the Vani Vilas Water Works, instead of as at present through the Sanitary Engineer, to avoid delay in carrying out the works, whereby the extra cost could be minimised The works could then be taken up immediately they are decided upon and the bill met by the Municipality themselves The sanctioned estimate will under the proposed procedure be sent for execution to the Superintendent and on receipt of bills from him, payments will be arranged for by cheque to the contractors by this office, charging the expenditure to the final head of account in the Municipality

4 The procedure of making payments in advance to the Sanitary Engineer and awaiting details for outlay is causing no end of confusion and I am enclosing herewith for the information of Government a statement showing advances still outstanding against the Sanitary Department

5 It may be stated, in this connection, that the Vani Vilas Water Supply Establishment is maintained

by the Municipality, except that 1/3 of the cost which perhaps represent, the cost of water consumed by the Government and Palace Buildings, is paid for by Government There should be no difficulty therefore in treating the Water-Supply Assistant Engineer as part of the Municipal Establishment for the execution of these works As long as the Superintendent, Vani Vilas Water Works will himself get these executed, the Sanitary Department need not have any ground for thinking that anything wrong incorrect or irregular, would be done by the Municipality The Municipality ordinarily is authorised to execute works on several buildings etc , upto Rs 5,000/- and it is therefore suggested that even in respect of water supply works to the extent of Rs 2500/- may be got done by the Municipality, through the agency of the Vani Vilas Water Works Assistant Engineer, in order to avoid the delays in accounting and the extra cost

I have the honour to be,
Sir,
Your most obedient servant,

Por Seshavendar Rao

PRESIDENT 9 12

SNR)

Proceedings of the Managing Committee Adjourned Meeting held in the Municipal Office on Monday the 23rd November 1942 at 4-30 P M

PRESENT - B S Raghavendra Rao,Esq ,M A ,(Hons)
President

77 - Sanitary Engineer's letter No 482 dated 30th September 1942, requesting sanction to the following revised estimates

(1) Installing a public fountain by the side of No 3808 (Process Mr Dasappa's house) Ganigarakeri, Mysore, for Rs 231/- as against the original estimate for Rs 104/-

(2) Installing a public fountain by the side of door No 3740 (Mr Muddiah's house) Ganigarakeri Rs 231 as against the original estimate for Rs 104/-

(3) Shifting the public fountain near door No 3566 (Mr S Ramiah's house to the other side of the road behind Rice Mills, Ediga, Rs 191 as against the original estimate for Rs 61/-

Resolution - "The Managing Committee feels that the delay in the execution of these works has resulted in unnecessary increased extra cost to the Municipal Council While sanctioning these revised estimates they hope that such delays will not be repeated In this connection, they suggest that the question of the Municipal Council attending to such works themselves direct through the agency of the Vani Vilas Water Works instead of at present through the Sanitary Engineer shoul be taken up very early with Government

(Sd) B S Raghavendra Rao,
President

"COPY"

snr

PRESIDENT

MYSORE CITY MUNICIPALITY

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held in the Municipal Office on Saturday the 28th November 1942, at 4-30 p m

PRESENT

B S Raghavendra Rao Esq M A (Hons) *President*

2 Chowdiah Esq
3 M K Linganna Esq B A LL B
4 N Rajagopala Iyengar Esq B A B I
5 M S Nanjappa Esq
6 G R Rangaswamiah Esq
7 Dr A J Ram L M & S
8 G Janardan Naidu Esq
9 Patnam Sreenivasasetty Esq
10 M R C Basappa Esq
11 T Venkataramaniah Esq
12 T S Alikhan Esq
13 B L Maridandiah Esq

ABSENT

14 P Sitaramiah Esq B A B L *Vice President*
15 S Linganna Esq
16 U L Ramachandra Rao Esq
17 M C Mallappa Esq
18 A Krishna Murty Esq
19 T S Rajagopala Iyengar Esq M A LL B
20 T Narasimha Iyengar Esq B A B L
21 A N Suryanarayana Rao Esq
22 Mrs B Kameswaramma B A
23 Agaram Rangiah Esq
24 B Narayanaswamy Esq B A B L
25 T Mariappa Esq B A LL B
26 M V Venkataramiah Esq
27 E P Nanjappa Esq
28 Mahomed Khalilulla Esq M A LL B
29 Haji Mir Amiruddin Khuraishi Esq
30 S A Kareem Esq
31 F C Devaraja Urs Esq

==========

374 - Managing Committee Resolution No 77, dated 23-11-1942, proposing that while sanctioning the three revised estimates contained therein, the Committee feels that the delay in the execution of these works has resulted in unnecessary increased extra cost to the Municipal Council and the hope that such delays will not be repeated and also they would suggest that the question of the Municipal Council attending to such works themselves direct through the agency of the Vanivilas Water Works instead of at present through the Sanitary Engineer should be taken up very early with Government

"Approved Government may be addressed in the matter and early action taken"

(Sd) B S Raghavendra Rao,
President

"Con" Raghavendra Rao

PRESIDENT

MYSORE CITY MUNICIPALITY

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held in the Municipal Office on Saturday the 28th November 1942, at 4-30 p m

PRESENT

B S Raghavendra Rao Esq M A (Hons) *President*

2 Chowdiah Esq
3 M K Linganna Esq B A LL B
4 N Rajagopala Iyengar Esq B A B L
5 M S Nanjappa Esq
6 G R Rangaswamiah Esq
7 Dr A J Ram L M & S
8 G Janardan Naidu Esq
9 Patnam Sreenivasasetty Esq
10 M R C Basappa Esq
11 T Venkataramaniah Esq
12 T S Alikhan Esq
13 B L Maridandiah Esq

ABSENT

14 P Sitaramiah Esq B A B L *Vice President*
15 S Linganna Esq
16 U L Ramachandra Rao Esq
17 M C Mallappa Esq
18 A Krishna Murty Esq
19 T S Rajagopala Iyengar Esq M A LL B
20 T Narasimha Iyengar Esq B A B L
21 A N Suryanarayana Rao Esq
22 Mrs B Kameswaramma B A
23 Agaram Rangiah Esq
24 B Narayanaswamy Esq B A B L
25 T Mariappa Esq B A LL B
26 M V Venkataramiah Esq
27 E P Nanjappa Esq
28 Mahomed Khalilulla Esq M A LL B
29 Haji Mir Amiruddin Khuraishi Esq
30 S A Kareem Esq
31 F C Devaraja Urs Esq

==========

379 Sanitary Engineer's letter No 374 dated 8th September, 1942 forwarding for sanction, a revised estimate for Rs 2025/- towards the cost of erecting a public fountain near Muslim Cremation ground and Ganigarakatte locality, Fort Mohalla, Mysore, as against the sanctioned estimate for Rs 1200/-

Resolution — "The estimate may be sanctioned Regardin the delays that are occurring in the execution of these works through the Sanitary Department involving extra cost to the Municipality, this question may be taken up with the Department concerned and Government "

(Sd) B S Raghavendra Rao,
President

" COPY "

B S Raghavendra Rao

PRESIDENT

SNR)

REPORT

The accompanying revised estimate for Rs 2,025/- for erecting public fountains near Muslim Cremation Ground and Ganigarakere Katte locality, Fort Mohalla, Mysore

The amount sanctioned for Rs 1,209/- is found insufficient to execute the work as the cost of galvanised pipes and fittings has gone very high owing to fluctuations in the market rates and as such it is now proposed to lay a 3" C I pipe in place of 1" and 3/4" G I pipes as proposed originally to save heavy cost Only 20ft of 3/4" G I pipe and other specials have been provided for in the estimate for giving connection to the fountain Since 2½" C I pipes are not being manufactured at present in the Mysore Iron and Steel Works, 3" C I pipes and specials have been provided for in the estimate The rates provided for in the estimate are as per current market and schedule rates

The excess of Rs 825/- as against the sanctioned estimate has to be met by the Mysore City Municipality Early sanction to the estimate is requested

(Sd) P S Krishnaswamy,
For Sanitary Engineer

" COPY "

PRESIDENT

SNR)

REPORT

The accompanying revised estimate amounting to Rs 231/- provides for installing a public fountain by the side of No 3740 (Mr Puddiah's house) Panigarakeri, Sandy Mohalla, Mysore

An estimate amounting to Rs 104/- was sanctioned in No 68 dated 12th July 1942 but the work in question could not be executed within the sanctioned provision owing to the rates for materials increased by the time the estimate received sanctioned This necessitated to prepare and submit this revised estimate

The current market rates for materials and schedule rates for labour have been preferred in the revised estimate

The excess cost is to be borne by the Municipality

(Sd) M S Krishnaswamy,
For Sanitary Engineer

" COPY "

SNR) PRESIDENT

REPORT

The accompanying revised estimate amounting to Rs 231/- provides for installing a public fountain by the side of No 3808 (Process Mr Dasappa's house), Ganigarkere, Mandy Mohalla, Mysore

An estimate amounting to Rs 104/- was sanctioned in No 68 dated 12th July 1942 but the work in question could not be executed within the sanctioned provision owing to the rates for materials increased by the time the estimate was received sanctioned It has necessitated to prepare the revised estimate

The current market rates for materials and schedule rates for labour have been preferred in the revised estimate

The excess cost is to be borne by the Municipality

(Sd) K-S Krishnaswamy,
For Sanitary Engineer

" COPY "

SNR)

PRESIDENT

REPORT

The accompanying estimate (revised) amounting to Rs 191/- provides for shifting the public fountain near No 3564 (Mr S Ramiah's house) to the other side of the road behind Rice Mills, Ediga, Mysore

An estimate amounting to Rs 61/- was sanctioned in No 68 dated 12th July 1942, but the work in question could not be executed within the sanctioned provision owing to the rates for materials increased by the time the estimate received sanctioned This necessitated to prepare this revised estimate

The current rates for materials and schedule rates for labour have been preferred in the revised estirate

The excess cost is to be borne by the Municipality

(Sd) K S Krishnaswamy,
for Sanitary Engineer

' COPY "

PRESIDENT

SNR)

MYSORE CITY MUNICIPALITY

the items of work pending with the Sanitary Engineer, Waterworks, for which deposits have been advanced by the Council?	When they sanctioned	When were they advanced (Deposited)	How many Works are still incomplete and how many not yet undertaken	The date of sanction of of work by the Council & the date of sanction of estimate	The date of receipt of the estimate	The date of deposit of Advance amount	the amount of advance pending with the Secretary, Sanitary Engineer
1	2	3	4	5	6	7	8
1 Savings proposed to be utilised for an estimate of Rs 500/- for laying 1½" G I sub-main in IX Block, Fort Mohalla		23-6-32					Rs 500 0 0
2 Estimate for linking 6" main with 2½" main in Narayanasastry Road to improve water supply to the locality		-do-					P 185 0 0
3 For laying 6" High pressure main from the Memorial Fountain up to 8" main opposite to Watergate Palace, Mysore		10-9-32					Rs 148 13 9
4 --do--3' G I main, near Canigarakere, Ediga		9-12-32					P 35'14 10
5 --do--1½" --do--and erecting two public fountains in Rajput Block, Narasimharaja Mohalla, Mysore (Balance)		5-12-36					Rs 12 3 0
6 Shifting a public fountain in front of Convent a few feet west in Lashkar Mohalla		19-11-35	Completed				Rs
7 Cost of giving water connection and a tap to Sewage Farm (Balance)		2-5-37	-do-				170

8 For extending water supply main to block II A in V Mohalla	4-5-1937	Completed	P 2,325 0 0
9 For providing water connection to Nazarbad Cattle pound	23-9-37	-do-	31 0 0
10 -do- to Fort Cattle pound	-do-	-do-	89 0 0
11 For laying main and submain to give water connection to poor houses in Farohatty Road (Balance)	8-12-37	-do-	4,125 4 0
12 Cost of laying 1½" submain to give water connection to new houses in Saraswathipuram Extension	5-5-38	-do-	2,952 0 0
13 For erecting public fountains and 1½" submain Maratha Block, Narasimharaja Mohalla	26-12-38	do-	1,069 0 0
14 For providing a public tap in Yarekatte Street, Lashkar Mohalla	3-3-39	do	213 0 0
15 II Stage of laying mains and submains in Rajaput and Maratta Block, Narasimharaja Mohalla, Mysore	21-4-39	do	3,022 0, 0 Revised estimat pending sanctio
16 For shifting a public fountain in Dewan's Road	24-7-39	Completed	79 0 0
17 -do- near Mirza Husain's House in Mandy Mohalla	-do-	do-	124 0, 0
18 For laying 1½" submain in Vontikoppal, Village	4-9-39	do	443 0 0
19 For providing a public fountain in near Ananda Press, Halladakere	3-10-39	do	81 0 0
20 For shifting a public fountain in Block No. Ediga	-do-	do	33 0 0

	Extending submain along the main road at Southern end of Chamundi Extension	11-10-39	Completed		559 0 0
22	For laying a submain in IV(A) V V Puram	7-12-39	do		1,950 0 0
23	Revised estimate for laying a portion of 3" C I main to 1/2" submain in Manantody Road extension, Fort Mohalla (Balance)	10-2-40	do		4,523 0 0
24	Revised estimate for providing a public fountain with a cattle trough in Manantody Car Stand	28-2-40	do		619 0 0 Work in progress
25	For erecting a public fountain in Kumbaragere, Lashkar Mohalla	3-10-40	Completed		273 0 0
26	For shifting the public fountain near door No 628, in Kamatagere, Chamaraja Mohalla	23-12-40	do		91 0 0
27	For laying three"Submains for improving water-supply to Yelwal Road: 1,751-13-8 + 2,379- 4-6 + (Amount paid out of refunds due to Municipality)	22-11-40 & 8-7-42			4,746 0 0
28	For laying mains and submains in New Yadavagiri Extension, near High Level Reservoir	Managing Committee Resolution No 46 16-8-1941 / L 110414 1-9-41		16-8-41 26-9-41	15,985 0 0 Materials not receive Hence pending
29	For erecting a public fountain near Electric Pole No.17/636 in Jalapuri Extension, Lashkar Mohalla	46 16-8-41 / L 110414 1-9-1941		-do-	394 0 0
30	For laying 1½" C I Submain in the conservancy lane behind the Market Road Block II'C'V J Puram	159/12-4-41 F 738773 11-6-41		16-6-41 28-2-40	475 0 0
31	For erecting a public fountain near Khan Mohammed Peer's House, Lashkar Mohalla	248/16-6-41 Z 104058 8-8-41		do	170

32 For laying a C I submain in V Block V V Mohalla	48/26-7-41	Z104058 8,8-41	Materials not received Hence pending	26-7-41	30-1-41		1,032	0 0
33 For sinking a bore well at Vyathamarana-halli and fitting it up with a borewell handpump with one fountain connection	M1 No 250/ 15-11-41	927321 - 29-11-41	Drills not released Hence pending	15-11-41	6-10-41		2,242	0 0
34 For laying a 2½" C I Submain in Sri Vyasaraja Mutt Compound, Chamaraja Mohalla	25/15-11-41	F 930929 - 16-1-42		15-11-41	6-1-42	Pipes not received Hence Pending	445	8 0
35 For installing a public fountain in Adijambava Beedi near public post, Lashkar Mohalla	195/6-2-42	F 951382 6-7-42		6-2-42		Tenders called for	337 195	0 0 0 0
36 -do- 3 Public fountains in Block-No. 29 and 30, Lashkar Mohall	654/28-2-42 945/30-5-42	/F 946717 13-6-42		28-2-42 & 30-5-42			1,429 754	0 0 0 0
37 For laying 1½" C I Submain for B B Laya , Kar Mohalla	88/30-8-41	Z 110474 9-9-41		30-8-41	30-6-41 /~~4-4-42~~/		536	0 0
38 For shifting a public fountain near door No 1916 to 1891/1, Adamkhan Mosque Street, F R Mohalla	244/15-4-42	F 941733 25-4-42		15-4~~42~~2	27-3-42		64	0 0
39 For linking the 2½" C I Main in Volekuyyava Street, to 4" C I, main running in Sa day Road	267/15-5-42	F 941887 25-5-42		15-5-42	19-4-42		419 342	0 0 0 0
40, For erecting a public fountain in Paparam Galli, Nazarbad Mohalla								
41 For erecting hydrants and refixing them in several streets	910/30-5-42	F 946717 26 6-42		30-5-42 /~~17-6-42~~	4-4-42 ~~9-3-42~~		560	0 0
42 For shifting the public fountains in Near 2088, in Bekka Makham Road	298/17-6-42	-do-		17-6-42	9-3-42		83	0 0
43 For a public fountain near Mr Muddiah's house) Ganigarakere, Ediga, Mandy Mohalla	292/17-6-42	-do-		-do-	26-5-42		104	0 0

44 For shifting the public fountain near 3564 (Ramiah's House) to the other side of the road	292/17-6-42	F 946784 28-6-42	17-6-42	26-5-42	61 0 0
45 For a public fountain near 3808, Ganigara kere, Ediga, Mandy Mohalla	do	do	do	do	104 0 0
46 For improving water supply to building at Yelwal	do	do	do	do	62 10 0
47 For improving water supply to building at yelwal	-	30-5-41			241 7 8
48 Cost of fixing meters to all Government and Palace buildings in Mysore City	211/23-3-42	F 941733 25-4-42	23-3-42		1,950 0 0
49 For a public fountain near 2357 in Paduvarahalli village, Vanivilas Mohalla	296/17-6-42 130/1-12-41	F 946784 26-6-42	17-6-42	18 -3-42	24 0 0
		F 927547 3-1-42	1-12-41	13-11-41	210 0 0
50 For laying 2½" C I Submain and erecting a public fountain for Hullina Beedhi, [illegible] Mohalla	294/17-6-42 997/27-6-42	F 951382 6-7-42	17-6-42	28-6-42	313 0 0
		F 215372 8-11-41	27-6-42	10-7-41	1,318 0 0
51 For a public fountain behind Darahi Sahib Mosque St , Sawday Road, Mandy Mohalla	84/16-10-1941 21/20-7-42	C 215372 6-11-41	16-10-41	10-7-41	237 0 0
		F 951518 25-7-42	20-7-42	11-9-41	43 0 0
52 For erecting two public fountains in Manentody Road Extension, Fort Mohalla	343/15-4-42	F 941733 25-4-42	15-4-42	6-7-42	395 0 0

			Date of sanction	Date of receipt of estimate	
54	For house connections	12-11-1915			93- 8- 0
55	For removing the tap in Brahmins cremation ground	11-8-1927			11- 1- 0
56	Difference paid now for the estimate for improving water supply to Chamundi Extension	7-7-1931			135-10- 5
57	Excess outlay paid for laying submain in Vani Vilas Mohalla	9-12-1932			4-12- 0
58	Balance of water tax collected and paid to Municipality, refunded	7-8-1935			698-12- 0
59	Excess outlay on shifting the Public fountain near Mission School, Doddapet, etc	17-8-1937			115- 8- 5
60	Shifting the C I Main running across Purniah's Nala in New Santhepet, paid to the Chairman, C I T Board, Mysore	22-8-1938			3,367- 0- 0
61	Providing a tap in Mahalin Sab's Darkhana	23-12-1940			179- 0- 0
62	Providing a public tap in St Anne St Lashkar	28-1-1941			468- 0- 0
63	Providing a public tap near Electric Pole in Jalapuri Lashkar	22-2-1941			249- 0- 0
64	Revised estimate for improving water-supply, Chamundipuram	10-6-1941			336- 0- 0
65	Providing a public tap near Narasimhiah's house in B B Garden Extension	29-8-1941			92- 0- 0
66	Providing a public fountain in Ramatageri, Mandi	10-5-1941	20-2-42 20-2-1942	12-5-1941 12-5-1941	431- 0- 0
67	Shifting the public fountain in Jalapuri, Lashkar	10-5-1941	8-8-1942		112- 0- 0

68	Providing a public fountain near Anegundi Arsu Road, Mandi Mohalla	10-5-1941	-			89- 0- 0
69	-do- in Rajaput Block, Lashkar Mohalla	5-8-1941	5-8-1941	31-5-1941		340- 0- 0
70	-do- near Bandmaster's house, Lashkar Mohalla	do	do	do		66- 0- 0
71	-do- Kanchugur St., K R Mohalla	do	do	23-6-1941	Work under progress	180- 0- 0
72	Shifting the public fountain near house No 2583, Chamundi Extension, K R Mohalla	5-11-1941		13-9-1941		33- 0- 0
73	Laying 1½" submain behind Muslim Girls Opphanage, Dodpet	do		23-9-1941		489- 0- 0
74	Laying a submain near labour block, Narasimharaja Mohalla	4-12-1941		18-9-1941	do	586- 0- 0
75	Shifting the public fountain at the junction of Sri Rama Street and Shankara Mutt Road	7-3-1942	3-1-1942	31-10-1941		63- 0- 0
76	Providing a public fountain near Jalapuri Adikarnatakapura, Lashkar Mohalla	12-2-1942		12-12-1941	Tenders invited.	205- 0- 0
77	Installing a public fountain near Rajaah's house in Kannegowdana Koppal	18-2-1942		9-1-1942	Work under progress	85 0- 0
78	-do- near public Rama Mandira, Chamundi Puram			6-10-41		84- 0- 0
79	Shifting the public fountain near ~~Govt's~~ Kaveramma's House, Chamundi Extension	18-2-1942		8-10-41		176- 0- 0
80	Providing a public fountain near house No 1039, Chamundipuram, Fort Mohalla	Do -		do	Not	322- 0- 0

3680/L

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

No M 5-100-463/42 pl
Encl one

Date 11th Decr. 1942

From

B S RAGHAVENDRA RAO, Esq, M A (Hons)
PRESIDENT, CITY MUNICIPAL COUNCIL,
MYSORE

To THE LEGY LAW SEPT

C Narayanaswamy Naidu, Esq, B A, B L,
Secretary to Government, Law Department
BANGALORE

Sir,

In continuation of my letter No M 5-100-463/42 dated 6th December 1942 I have the honour to forward herewith for the information of Government a copy of letter No C 102-78 dated 10th November 1942 from the Director of Public Health in Mysore, Bangalore stating that in respect of a work of shifting a public fountain for Rs 48/- the countersigned estimate may kindly be sent up to the Sanitary Engineer for his taking up the work

In addition to all the inconveniences reported already another difficulty is to watch the return of released materials, e g in this case 30' of pipe is released and to watch and recover this from the Water Supply Department will

entail endless correspondence From all points of view including efficiency, promptness and facility in accounts it seems to be desirable to get these petty works undertaken through the Municipality

Early orders are solicited

I have the honour to be,
Sir,
Your most obedient servant,

PRESIDENT

KSR

Letter No.C 102-78 dated 10th November 1942 from the Director of Public Health in Mysore, Bangalore to the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore

---

Shifting a public fountain in Mysore - work proposed to be done by Municipal agency

---

With reference to his No 557 dated 2-11-1942 on the above subject has the honour to request him to intimate the President, Municipal Council, Mysore that the water supply work, distribution and maintenance are all under the charge of the Department Under the circumstances getting work done by the Municipal agency does not seem permissible

---

No 861/1-12-1942

Copy of the above is forwarded with compliments to the President, City Municipal Council, Mysore, for favour of information in continuation of this office No 683 dated 2nd November 1942 already sent to him The countersigned estimate for Rs 48/- may kindly be sent to this office for taking up the work

Sd K S Krishnaswamy,
For Sanitary Engineer

'COPY'

B. Keshavendra

PRESIDENT,
City Municipal Council,
Mysore

KSR/11-12-42

Appendix F G —1]

SUBJECT

Section

File No

Serial No

Diary No of letter replied to

Do No L 6053

To

General and Revenue Secretariat

( )

the *194*

Date of issue 15/12/42

Signed by Asst GRRao

List of enclosures

Copied by

Examined by

Dear Sir,

I am desired to request you to kindly arrange to send immediately with your opinion this office file relating to the grant of permission to the Mysore Govt to execute the works in respect of the water supply Deptt upto Rs 2500 ~~to be~~ to be by the Govt itself under the supervision of the Deptt V.V. were works, sent to you with this office

WD 04161—GPB—60 000—24 10 41

(continued)

Ho no 122-42 on 3-12-42:
The matter may be kindly treated as immediate

Yours &c
Sd

To The Dr of P Health
By name

HB
7/5/12

Appendix F G —1]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue 26/2/43

Signed by Asst G. R. Rao

List of enclosures

Codied by

Examined by

5 copys

Section ML

File No 80-42

Serial No 11

No L8629

To The Dy Cff ml cl, Mysore

Sir,

With reference to the correspondence ending with your letter no M5-100-463/42 & 12-12-42 requesting that the works connected with the distribution system of water supply from the Vani Vilas water works, Mysore upto a limit of Rs 2500/- may be permitted to be got done direct by the ml cl through the Supdt Vani Vilas water works, Mysore without

WD C4161—GPB—60 000—24 10 41

(continued)

the intervention of the Bureau of Sanitary Engineering, I am directed to state that in accordance with the decision arrived at the meeting held in the Chambers of the Minister, L.S.G. & P.H. on 10-2-43, it is necessary to take further action to simplify the existing procedure in the execution of these works in order to obviate the delay now occurring. With this end in view, the following arrangements have to be made as agreed to at the time:-

(1) The Addl. Chief Engineer, Mysore may get the distribution works - either original or repairs - executed under his own agency.

(2) A Sub-Engineer may be appointed specially for this purpose to work directly under the control of the President

(3) The entire expenditure in this behalf will be met out of the M.L. funds and included in the Annual Maintenance estimates of the Vani Vilas Water Works

(4) This officer will be entrusted with the execution of works costing only Rs 10000/- & below, the estimates undergoing technical scrutiny by the Sanitary Engineer & works above that limit should be attended to by the Bureau of Sanitary Engineering &

(5) and In all instances in which technical points are involved or where Sub-Mains of 2 1/2" diameter are to be tapped, the work should be done after obtaining necessary permission from the Sanitary Engineer

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form*

I am to request that proposals may be submitted to Govt early to implement the above decisions

2. As regards the adjustment of advances made by the Govt outstanding against, to the Bureau of Sanitary Engineering to the extent of Rs 69834-5-6 in this connection it has been that the Chamberlain City Corporation has agreed to depute one of the Clerks of his office to the civil office, Mysore to verify the amounts with reference to the registers maintained in the city civil offices and to adjust them early. Necessary instructions are being issued to the Director of Public Health to take action accordingly I have etc.

Sd/- Secy to Govt
Law Deptt

L8630-31

Memorandum

Copy of the above is forwarded with Compliments to the Dir of Health for information and necessary action with refee to para 2 above.

3. Memo to Comptroller for info

By order
Sd/- Under Secy to Govt

WD 0186—G°B—I 000 6 9 34

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat,

Dated Bangalore - - ruary. 1943.

No

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore,

Law Department.

To

The President,
City Municipal Council,
Mysore.

Sir,

With reference to the correspondence ending with your letter No. Mb.100-463/42 dated 12th December 1942 requesting that the works connected with the distribution system of water supply from the Vani Vilas Water Works, Mysore City up to a limit of Rs.2500/- may be permitted to be got done direct by the Municipal Council through the Superintendent, Vani Vilas Water Works, Mysore without the intervention of the Bureau of Sanitary Engineering, I am directed to state that in accordance with the decision arrived at on the subject at the meeting held in the Chambers of the Minister, Local Self-Government and Public Health on 10th February 1943, it is necessary to take further action to simplify the existing procedure in the execution of these works in order to obviate the delay now occurring. With this end in view, the following arrangements have to be made as agreed to at the time,-

1) The President, City Municipal Council, Mysore, may get the distribution works - either original or repair executed under his own agency.

2) A Duo Engineer may be appointed specially for this purpose to work directly under the control of the President.

3) The entire expenditure in this behalf will be met out of the Municipal funds and included in the Annual Maintenance Estimates of the Vani Vilas Water Works.

4) This officer will be entrusted with the execution of works costing only Rs.1000/- and below, the estimates undergoing technical scrutiny by the Sanitary Engineer and works above that limit should be attended to by the Bureau of Sanitary Engineering

and 5) In all instances in which technical points are involved or where sub-mains of over 2½" diameter are to be tapped, the work should be done after obtaining necessary permission from the Sanitary Engineer.

I am to request that proposals may be submitted to Government early to implement the above decisions.

2. As regards the adjustment of advances made by the Municipal council to and outstanding against the Bureau of Sanitary Engineering to the extent of Rs.69,834-5-6 in this connection it has been agreed that the Sanitary Engineer should depute one of the clerks of his office to the City Municipal Office, Mysore to verify the amounts with reference to the registers maintained in the City Municipal Office and to adjust them early. Necessary instructions are being issued to the Director of Public Health to take action accordingly.

I have the honour to be,
Sir,
Your most obedient serv

...ces

(continued)

F No 46]

GOVERNMENT OF MYSORE

Telegram
phone

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE

MYSORE

No C 102-18 2nd 786

Encls

1943

20/3/43

Date 18th March 1943

To

The Secretary to Government,
Law Department,
Bangalore

Sir

Works connected with the distribution system of water supply from V V Water works, to be got done direct by the Mysore City Municipality
--

With reference to your letter No L 8629/M1 80-42-11 dated 26-2-43 addressed to the President, Municipal Council, Mysore on the above subject and copy sent to this office with memo No L 8630-31/M1 dated 26-2-43, I have the honor to state that it does not seem to be necessary to include the expenditure under the A M estimate of Vani Vilas Water Works, arising out of the appointment of a Sub Engineer proposed in para 1, item 3 of the letter

I have the honour to be,
Sir,
Your most obedient servant,
C. Balakrishnan
Director of Public Health

JBR

Ml 80-42-12

No MS 100-463/42
Encl 3

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

Date 16th April 1943

6281/L

From

B S RAGHAVENDRA RAO Esq M A (Hons)
PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE

To

C Narayanaswamy Naidu, Esq , B A ,B L ,
Secretary to Government, Law Department,
Bangalore.

Sir,

Subject Works connected with the distribution system of Water Supply in Mysore City - Entrusting the same to Municipal agency

***

With reference to your letter No L 8629/Ml 80-42-11 dated 26th February 1943 regarding the above, I have the honor to state that the same was placed before the Municipal Council at their Ordinary meeting held on 31st March 1943 along with a note prepared by me in this matter (copy enclosed), and the Municipal Council have in their Resolution, (copy enclosed) agreed to the proposals made in my note which I note below and request that they may kindly be approved

1 The President, City Municipal Council, Mysore may get the distribution works - either original or repair - executed under his own agency

The Municipal Council agrees to this.

2 A Sub Engineer may be appointed specially for this purpose to work directly under the control of the President

On second consideration it was felt that it would be better to have an Assistant Engineer only instead ofa Sub Fngineer. The reasons for this given in the note adverted to above are noted below for ready reference

"One of the suggestions made by me at the meeting was the appointment of a Sub Engineer specially for executing, under Municipal agency, Water Supply distribution works either original or repairs On reconsideration, however, I feel that it is better to appoint an Assistant Engineer in lieu of a Sub Engineer I discussed this with the Sanitary Engineer and he also agrees with me since in case a Sub Engineer is appointed, though the works are executed under his supervision, he will have no independent powers as exercised by an Assistant Engineer and the Municipal Engineer who is already overworked would have to check-measure etc Further, Sub Engineers do not stay long as they get promotions to acting Assistant Engineers' places

(continued

fairly rapidly and frequently and so there will be frequent changes and consequent dislocation of work. If we get an Officer of the status of an Assistant Engineer, we can also entrust all our Sanitary and Drainage works to this Officer The extra cost by taking over distribution and having our own Assistant Engineer would be about Rs 2,400/- as these charges are debitable to the Annual Maintenance Estimate of the Vani Vilas Water Works and we pay ⅔ only"

The Municipal Council therefore request that sanction may be kindly accorded to the appointment of an Assistant Engineer in lieu of a Sub Engineer as decided at the meeting, the cost being debited as usual, to the A M estimates of the Vani Vilas Water Works.

3 The entire expenditure in this behalf will be met out of the Municipal funds and included in the Annual Maintenance estimates of the Vani Vilas Water Works

The Municipal Council agrees to this

4 This Officer will be entrusted with the execution of works costing only Rs 1,000/- and below, the estimates undergoing technical scrutiny by the Sanitary Engineer and works above that limit should be attended to by the Bureau of Sanitary Engineering.

The Municipal Council agrees to this

5 In all instances in which technical points are involved or where sub-mains of over 2½" diameter are to be tapped, the work should be done after obtaining necessary permission from the Sanitary Engineer.

The Municipal Council agrees to this, 3" being however inserted in lieu of 2½" since in many cases owing to want of 2½" mains 3" mains are to be put in

Sanction is therefore solicited (1) to the Distribution system of the Vani Vilas Water Works with all the existing staff being handed over to the Municipality and (2) to the appointment of an Assistant Engineer to look after the Water Supply distribution, this Assistant Fngineer being also in charge of our Sanitary and Drainage Works

Early orders in this matter are requested

I have the honour to be,
Sir,
Your most obedient servant,
By Nasawendaly
PRESIDENT

KSR

MYSORE CITY MUNICIPALITY

Subject Proposals to simplify the existing procedure in the execution of water supply works in order to obviate the delay now occurring etc

The letter received from the Law Secretary suggesting certain proposals as decided at a meeting held in the Minister's Chamber on 10th February 1943, together with the explanatory letter addressed to Government by the President on 6th December 1942 regarding the above, are herewith put up for reference

One of the suggestions made by me at the meeting was the appointment of a Sub Engineer specially for executing, under Municipal Agency, Water Supply distribution works either original or repairs On reconsideration, however, I feel that it is better to appoint an Assistant Engineer in lieu of a Sub Engineer I discussed this with the Sanitary Engineer and he also agrees with me since in case a Sub Engineer is appointed, though the works are executed under his supervision, he will have no independent powers as exercised by an Assistant Engineer and the Municipal Engineer who is already overworked would have to check-measure etc Further, Sub Engineers do not stay long as they get promotions to Acting Assistant Engineer's places fairly rapidly and frequently and so there will be frequent changes and consequent dislocation of work If we get an Officer of the status of an Assistant Engineer, we can also entrust all our Sanitary and Drainage works to this Officer The extra cost by taking over Distribution and having our own Assistant Engineer would be about Rs 2,400/- as these charges are debitable to the Annual Maintenance Estimate of the Vani Vilas Water Works and we pay ⅔ only.

Approval is therefore necessary

1 to the appointment of an Assistant Engineer to take over Water Supply distribution (This Assistant Engineer being also in charge of our Sanitary and Drainage works)

2 The Distribution system of the Vani Vilas Water Works being taken over by us under the terms noted in the Government Order (noted below)

i The President, City Municipal Council, Mysore may get the distribution works- either original or repair - executed under his own agency

ii This Officer will be entrusted with the execution of water supply works costing only Rs 1,000/- and below; the estimates undergoing technical scrutiny by the Sanitary Engineer and works above that limit shouldbe attended to by the Bureau of Sanitary Engineering

iii. In all instances in which technical points are involved or where sub-mains of over 3 2½" diameter are to be tapped, the work should be done after obtainirg necessary permission from the Sanitary Engineer

The present staff engaged on Water Supply Distribution will go over to us and they will work under the Assistant Engineer, Water Supply distribution"

Sd B S Raghavendra Rao,
PRESIDENT

'COPY'
By Raghavendra Rao.
PRESIDENT,
15-4-1943

KSR

Proceedings of the Adjourned Meeting of the Managing Committee meeting held in the Municipal Office on Wednesday the 17th March 1943, at 5 P M

***

149 Letter No L 8629/M1 80-42-11, dated 26th February 1943, from the Secretary to Government, Law Department, forwarding the proposals contained therein in accordance with the decision at the meeting held in the Chambers of the Minister for Local Self Government on 10th Feb 1943 to simplify the existing procedure in the execution of water supply works in the City Municipality and to obviate the delay now occurring The President's note thereon, is also put up for approving the proposals contained therein

"PROPOSALS RECOMMENDED"

Sd B S Raghavendra Rao,

PRESIDENT

'COPY'

B Raghavendra Rao

PRESIDENT,
15-4-1943

KSR

By Neshaveman 17.

PRESIDENT,
15-4-1943

KSR

MYSORE CITY MUNICIPALITY

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held in the Municipal Office on Wednesday the 31st March 1943, at 4-30 p m

PRESENT

B S Raghavendra Rao Esq M A (Hons) *President*

2 Mohamed Khalilulla Esq M A LL B *Vice President*
3 S Linganna Esq
4 U L Ramachandra Rao Esq
5 Chowdiah Esq
6 M C Mallappa Esq
7 T S Rajagopala Iyengar Esq M A LL B
8 Mrs B Rameswaramma B A
9 M V Venkataramiah Esq
10 M S Nanjappa Esq
11 G R Rangaswamiah Esq
12 G Janardan Naidu Esq
13 Patnam Sreenivasasetty Esq
14 M R C Basappa Esq
15 T S Alikhan Esq
16 Haji Mir Amiruddin Khuraishi Esq
17 B L Maridandiah Esq
18 F C Devaraja Urs Esq

ABSENT

19 P Sitaramiah Esq B A B L
20 M K Linganna Esq B A LL B
21 A Krishna Murty Esq
22 T Narasimha Iyengar Esq B A B L
23 A N Suryanarayana Rao Esq
24 N Rajagopala Iyengar Esq B A B L
25 Agaram Rangiah Esq
26 B Narayanaswamy Esq B A B L
27 T Mariappa Esq B A LL B
28 E P Nanjappa Esq
29 Dr A J Ram L M & S
30 T Venkataramaniah Esq
31 *Vacant*

648 Managing Committee resolution No 149 dated 17th March 1943, recommending the proposal contained in letter No L 8629/M1 80-42-11 dated 26th February 1943, from the Secretary to Government, Law Department, forwarding the proposals contained therein in accordance with the decision at the meeting held in the chambers of the Minister for Local-Self-Government on 10th February 1943, to simplify the existing procedure in the execution of water supply works in the City Municipality and to obviate the delay now occurring, together with the President's note thereon, for approval

"PRESIDENT'S PROPOSALS APPROVED"

Sd B S Raghavendra Rao,
PRESIDENT

'COPY'

B S Raghavendra Rao
PRESIDENT,
15-4-1943

KSR

Appendix F G—1]

SUBJECT

Section ml
File No 80-42
Serial No 13

Diary No of letter replied to

No L 10457

To

General and Revenue Secretariat

( )

the *194*

The Dr of P Health

Date of issue 26/4

Sir,

Signed by Mr G. R Rao

With reference to your letter no C102-182 Dy 18 3 43 on the matter of entrusting the works connected with the distribution system of Water Supply in the Mysore city to the Municipal agency, I am ~~now~~ directed ~~to~~ in reply to forward herewith ~~a copy~~ a letter no M5-100-463/42 Dy 16-4-43 received from the Addl, Dy ml Cl, Mysore, together with its enclosures on the subject and to request you

List of enclosures

Copied by

Examined by

WD 04161—GPB—60 000—24 10 41

to be so good as to furnish
~~grant~~ your opinion on
the proposals made therein, on or before the 15th May 194.

The enclosures may be
kindly returned along with your
~~observations~~ report

I have etc

[illegible] 27/4/43
for Secretary to Govt
WB 21/4 Law Dept

T P No 46]

GOVERNMENT OF MYSORE

OFFICE OF

Telegram / Telephone

No C 102-243
Encls 2

SEOY LAW DEPT * GOVT OF MYSORE *

GEN & T 7928 1945 LSG BRANCH

Date 27th May 1943

To

The Secretary to Government,

Law Department,

Bangalore

Sir

Works connected with the distribution system of water supply from Vani Vilas Water Works to be got done direct by the Mysore City Municipality

--

In continuation of this office letter No C 182 dated 18-5-1943 re the debiting of the expenditure relating to the appointment of a Sub-Engineer proposed in connection with the above, I have the honour to enclose herewith for the information of Government a copy of this office letter No C 102-242 dated 27th May 1943 addressed this day to the President, City Municipal Council, Mysore, pointing out the desirability of having a separate A & E Estimate, so that it could be operated upon by the President, Municipal Council A copy of letter No 1056 dated 19-5-43 of the Sanitary Engineer received in the matter is also enclosed for the information of Government

I have the honour to be,

Sir,

Your most obedient servant,

B B Cunningham

Director of Public Health

L 1 No 46]

GOVERNMENT OF MYSOPE

Telegram / phone

OFFICE OF

No C. 10[illegible]
Encls one

...GALORE

Date 27th May 1943

To

The President, ...
Municipal Council,
Mysore City

Sir

Re Appointment of a Sub-Engineer distribution works of Rs 1000 Municipal agency

- Adverting to letter No L 8629/41 80-42-11 dated 26th February 1943 of the Secretary to Government, Law Department addressed to you in connection with works relating to the distribution system of water supply from Jani Vilas Water Works, Mysore City, I have the honor to state that as per clause 3 of the letter, the entire expenditure on account of the appointment of a Sub-Engineer will have to be met out of the Municipal funds and included in the Annual Maintenance Estimate of the Jani Vilas Water Works. As under clause 4, this office will be entrusted with the execution of works costing Rs 1000 and less under the direct agency of the Municipal Council, I request you to be so good as to have a separate Annual Maintenance Estimate to be operated upon by yourself, the charges of the estimate being debitable to the Municipal funds as contemplated under clause 3 of the letter - I therefore request you to be so good as to have a separate Annual Maintenance estimate for the

purpose

purpose every year a copy of letter No 1566 dated 19-5-1943 of the Sanitary Engineer received in this connection is enclosed for information

I have the honour to be,
Sir,
Your most obedient servant,
Sd [illegible] Parthasarathy,
Director of Public Health

JBR.

Letter No 1566 dated 18/19th May 1943 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Director of Public Health in Mysore, Bangalore

Appointment of a sub-engineer for carrying out distribution works of Rs 1,000/- and below by the Municipal agency -

I have the honour to invite your kind reference to letter No A.8099/N1 80-42-11 dated 26th February 1943 from the Secretary to Government, Law Department, Bangalore, to the President, City Municipal Council, Mysore, regarding the above. As per clause 3 of the above letter, the entire expenditure on account of the appointment of a sub-Engineer would have to be debited to the A M estimate of Vani Vilas Water Works As per clause 4 this office would undertake works costing Rs 1,000/- and below under the direct agency of the Municipal Council As such, I consider that it will probably be necessary for the Municipal President to open up a separate A M estimate to be operated by himself, the entire charges in the case of this estimate being debitable to the Municipal funds as contemplated in clause 3 of the above letter I am bringing this to your notice for favour of necessary suggestions being made to Government for a suitable A M estimate being got up by the City Municipal Council, Mysore, every year for operation as contemplated in the above letter

---

Copy"

J B Narayana Rao
Director of Public Health. 27/5

JBR

F No 45]

GOVERNMENT OF MYSORE



Telegram
Phone

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH
IN MYSORE,
BANGALORE.

No C 102-260
Encls 5



Date 8th June 1943

mc 80-42-

To

The Secretary to Government,
Law Department,
Ban alore

Sir

With reference to your letter No L 10454/41 80-42-13 dated 26th April 1943 regarding the above requesting me to furnish my opinion regarding further proposals made by the President, City Municipal Council, Mysore, I have the honour to enclose herewith a note furnished by the Sanitary Engineer in this matter I am of opinion that the works of execution contemplated to be transferred to the control of the municipal agency are after all very small and that they do not warrant the appointment of an Assistant Engineer, which would lead to unnecessary heavy expenditure and also to confusion I consider it will be enough if, as stated by the Sanitary Engineer in his note, the Municipal President is given the assistance of an Engineer overseer and the repair works are entrusted as resolved already upto a limit of Rs 1,000/- I am not also in favour of the modification proposed by the Municipal President of his tapping submains of over 2½" in size Lastly, the question of transferring the distribution was never contemplated at the meeting in the Minister's Chambers on 10th February 1943, and as such, the question does not seem to arise at all The enclosures received with your letter are returned enclosed

I have the honour to be,
Sir,
Your most obedient servant,
G Sankaran
Director of Public Health

JBR

Office of the Sanitary Engineer
Bureau of Sanitary Engineering,
Bangalore, dated May 20, 1943

No 1576

SUBMITTED

The new proposal for which the President, City Municipal Council, Mysore, seeks sanction is not at all in keeping with the points discussed on 10th February 1943 in the Minister's Chambers, nor are they in keeping with the decisions arrived at The President, City Municipal Council, Mysore, desires now, that an Assistant Engineer should have to be appointed in place of a Sub-Engineer who according to the decisions arrived at the meeting should have to be entrusted with repairs to original works upto a limit of Rs 1,000/- to be undertaken in the distribution system There was no question of the regular management of distribution main, transfer to the control of the Municipal President It was only a question of repairs to original works Taking the average pay of an Assistant Engineer, whose graded pay is Rs 300-40/2-400, the annual commitment to the Municipality would be, at the rate of Rs 300/- average, Rs 3,600/- In addition, for work in the Municipality he will have to be paid a conveyance allowance just like his colleague, the present Municipal Engineer, of Rs 75/-, so that the total extra commitment to the Municipality would be Rs 4,500/- The full amount of it would have to be met by the Municipality as per clause 3 of letter No 8629/A1 80-42-11 dated 25th February 1943 from the Secretary to Government, Law Department, to the President, City Municipal Council, Mysore In addition, if an Assistant Engineer is taken and a separate Subdivision is formed adding to the new Assistant Engineer, the works of water supply distribution and also the drainage and sanitary works in Mysore city, he would have to be given extra staff by way of two Surveyors and probably two clerks which would mean extra additional expenditure

Further, according to the above letter it is to be mentioned that after all, the Sub Engineer who is proposed to be newly appointed would be entrusted only with works costing Rs 1,000/- and below of a repair or original nature in the distribution system and all works of sanitary above Rs" would have to be done by the Assistant Engineer, viz Village sanitary works That means the work to be got done by the Municipal President is after all very little and of a minor nature Under these circumstances it seems to me that there is no necessity to form a separate subdivision under an Assistant Engineer . On the other hand, if a separate subdivision is formed under a new Assistant Engineer for water supply distri-

distribution, this would lead to a lot of confusion leading to delay in execution and consequent complaints due to an overlap and confusion in the duties of the two Water Supply Engineers, one under the Sanitary Bureau who will have to do major works and another under the newly propo Assistant Engineer. One of the arguments put forth by the Municipal President in support of taking an Assistant Engineer instead of a Sub-Engineer is that the Sub-Engineer would not stay sufficiently long in the Municipality and secondly, he would also not be able to check-measure works. I wish to point out here that during the deliberations on 10th February 1943 in the Minister's Chambers, there was no question of handing over the distribution to the Municipal President. He simply urged that delay in execution could be overcome if certain small and urgent works were executed by the Municipality and accordingly repair works upto Rs 1,000/- were proposed to be transferred to him. As such, the amount of work having to be done being very small, I consider that the Municipal President could get this works done by taking only a qualified Overseer who would measure the works and the Municipal Engineer could check-measure the same during his usual rounds in the City. This proposal of taking an Overseer for executing these works would not only be economical, but at the same time would overcome the difficulty of check-measurement. He would also continue to stay in the Municipality until he became a Sub-Engineer and then an Assistant Engineer. The Municipal President's proposal for transferring the existing staff of the distribution system to the Municipality never came up for discussion on 10th February 1943.

Sd/- C.R. Iyengar,
Sanitary Engineer.

-o-

'Copy'
for Secretary
Director of Public Health

-1153-

L/2164 & 1576

To The Dr of P Health

Sir,

With reference to the Cor-
-respondence ending with your
-letter No C102-243 Dy 27-5-43 re the
works connected with the distribution
system of water supply from the Vanivilas
water works, Mysore, to be got done
direct by the Mysore Asst Engr, I
am directed to request that the
enclosures sent to you with this
office letter No L10454/me 80-42-13 Dy
26-4-43 may be kindly returned
as the same have not been ~~received~~ sent back
as requested therein

I have etc

for Secy to Govt
Pwd 15/6 14/6 Ldw Sept

Appendix F G—1]

C F No 10 **Immediate.** **GOVERNMENT OF MYSORE**

Tele gram phone

No C 102-271
Encls

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE

Date June 15, 1943.

To

The Secretary to Government,

Law Department, Bangalore

Sir

Executing small repair works connected with the distribution system of water supply, Mysore City through the municipal agency

---

With reference to your letter No L 12164/41 dated 15th June 1943 requesting for the return of the enclosures sent with your letter No L 10454/41 80-42-13 dated 26th April 1943, I have the honour to invite kind reference to this office letter No C 102-260 dated 8th June 1943 with which they were returned

I have the honour to be,

Sir

Your most obedient servant

KJJ

DIRECTOR OF PUBLIC HEALTH

Appendix F G –

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

the *194*

Date of issue 20/8

Signed by

List of enclosures

Codied by

Examined by

Section ml

File No 80-42

Serial No 16

No 2217

To

The President, adj Mled
Mysore

Sir,

With reference to
Service ending with your letter
no MF-100-463/42 dy
16-4-1943 in the matter
of entrusting the works connected
with the distribute systems
water supply and Mysore city to
the M-L agency etc, I am
directed to state that the
proposals now made by you
differ in all respects from the
decisions reached at the

On the several points discussed at the meeting held on 10 2 1943 and communicated to you in this office letter no L 8629/Pol 50-40-11 dated 28/2/43 and they do not therefore commence themselves to Govt

With a view to avoiding unnecessary heavy expenditure on establishment on account of the smallness of the works proposed to be carried out on this behalf under the Pol agency, Govt consider that it would be sufficient for the present to employ the Engineer overseer to work directly under the President of the Pol, his powers being limited to those agreed to at the meeting referred to above and the entire expense on account of this staff being met by the Pol" On hearing from you about your willingness to agree to the proposal formal orders will be issued

I am to add that the question of the proposed water supply distribution into the establishment in the city limits of the Pol does not either contemplated or discussed at the meeting and it does not arise at all

I have etc
for Secy to Govt
Law Dept

Memorandum L 2218 dt 20/8

Copy with date of dt 10 for information with reference to his letter no E 10 2-260 dt 8-6-43

for Secy to Govt
Law Dept

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No *Dated Bangalore,* August 1943.

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore

Law Department.

To

The President,
City Municipal Council,
M y s o r e.

S i r,

With reference to the correspondence ending with your letter No.MS-100-43/4 dated 13th April 1943 in the matter of estimating the works connected with the distribution of system of water supply in Mysore City to the Municipal agency etc., I am directed to state that the proposals now made by you differ in all respects from the decisions reached on the several points discussed at the meeting held on 10th February 1943 and communicated to you in this Office letter No.L.3629/ ML.30-42-11 dated 26th February 1943 and that, do not therefore commend themselves to Government.

With a view to avoiding unnecessarily heavy expenditure on establishment on account of the scheme proposed to be carried out in this behalf under the Municipal agency, Government consider that it would be sufficient for the present to employ an Engineer Overseer to work directly under the President of the Municipal Council his pay and allowances limited to those agreed to at the meeting referred to above and the entire expenditure on account of his pay etc., being met by the Municipal Council On hearing from you as to your willingness to agree to the proposal, formal orders will be issued.

I am to add that the question of transferring the water supply distribution system to the City limits to the Municipal Council was not either contemplated or discussed at the meeting and it does not arise at all.

I have the honour to be
Sir,
Your most obedient servant,

Memo No. L2 218

Dated, Bangalore, 20th August 1943.

Copy of the foregoing is forwarded, with compliments, to the Director of Public Health in Mysore, for information with reference to his letter No.C.102-260 dated 8th June 1943.

By Order,

(Draft) For Secretary to Government,
Law Department.

C 1 No 45]

GOVERNMENT OF MYSORE

OFFICE OF

Telegram
Telephone

No C 12241 & 1.10
Encls 2

THE DIRECTOR OF PUBLIC HEALTH
IN MYSORE,
Dated: 11 January 11th, 1943.
13

To

The President,
City Municipal Council, Mysore.

Suggestion for all water supply improvement works in Mysore City upto a limit of Rs 2,500/- to be got done with the direct assistance of the Superintendent, Vani Vilas Water Works, Mysore

Sir

With reference to your letter No.T.T 580 dated 19th November 1942 on the above subject, I have the honour to enclose herewith a statement giving complete details with regard to the 13 works referred to in the statement enclosed with your letter under advertance It will be seen from the statement that the delays are not "in the Sanitary Bureau" as stated in your letter, but in your office in countersigning and returning the estimates to the Sanitary Bureau for execution In the case of items 1,3, and 4 the delays are for 4 and 5 months while in other instances, the delays are mostly for two months This fact has been pointed out to you by the Sanitary Engineer in his D O Letter No.1422 dated 31st May 1942 The responsibility for the excess charges resulting from the delays devolve therefore on the Municipality and not on the Bureau of Sanitary Engineering I enclose herewith a copy of letter No.831 dated 18th December 1942 of the Sanitary Engineer dealing with the reasons for the delay in regard to other items in the statement

The Sanitary Engineer has already intimated to you in his D O.Letter of 31st May 1942 referred to above that in case of urgent and immediate works, the Superintendent, Vani Vilas Water Works, Mysore, would be authorised to take up any work and put in to execution immediately pending both sanction to the estimate and allotment of funds The Sanitary Engineer reports that in none

none of the items referred to in the statement has any such advice been given.

As regards the proposal regarding payment of bills direct by the Municipality a nd the undertaking of works by the Assistant Engineer direct on requisition, I wish to invite kind reference to this office letter No.C.63-22 dated 27th July 1942 intimating my agreement with the opinion expressed by the Sanitary Engineer in his D.O.Letter of 31st May 1942 addressed to you.

I have the honour to be,

Sir,

Your most obedient servant,

Sd P Parthasarathy

DIRECTOR OF PUBLIC HEALTH

"Copy"

Director of Public Health

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held on Saturday the 26th May 1945 at 4 30 P M

--

Present

1 R Ramachandra Rao Bhombore, Esq , B A , President
2 T Venkataramaniah, Esq , Vice-President
3 A Krishnamurthy Rao, Esq ,
4 M N Jois, Esq , B A ,
5 A N Suryanarayana Rao, Esq ,
6 T Narasimha Iyengar, Esq , B A , B L ,
7 B Narayanaswamy, Esq , B A , B L ,
8 Agaram Rangiah, Esq ,
9 Srimathi Kaveri Bai
10 K S Satyanarayana Rao, Esq ,
11 T Mariappa, Esq , B A , L L B ,
12 G R Rangaswamiah, Esq ,
13 M V Venkataramiah, Esq ,
14 M S Nanjappa, Esq ,
15 H Thammiah, Esq ,
16 G,Janardhan Naidu, Esq ,
17 M R C Basappa, Esq ,
18 E P Nanjappa, Esq ,
19 V N Dasappa, Esq ,
20 Patnam Srinivasa Setty, Esq ,
21 F C Devaraj Urs, Esq ,
22 K Siddiah, Esq
23 Gulam Ahamed Kha, Esq ,

Absent

24 P Sitaramiah, Esq , B A , B L ,
25 T S,Chandrasekharagowda, Esq ,
26 U L Ramachandra Rao, Esq ,
27 Chowdiah, Esq ,
28 Dr A V Ranga Rao,
29 Mrs V H Theobald
30 T S Ali Khan, Esq ,
31 Mohammad Sait, Esq ,

940 Municipal Engineers report dated 7th April 1945 stating that the services of a graduate surveyor are necessary for execution of water supply works costing Rs 1,000/- or less (This has reference to Council resolution No 666 dated 24th Jan 1945, stating that the Engineer Overseer is not necessary as there is a proposal to have a separate Engineer to the Municipality "

Approved

Sd R Ramachandra Rao Bhombore,
President

"Copy"

PRESIDENT

12/9/45

President, his powers being limited to those agreed to at the meeting referred to above, the Municipal Council is of opinion that the services of a graduate surveyor are necessary for execution of water supply works costing Rs 1,000 or less A copy of the resolution No 940 dated 26-5-1945 in the matter is enclosed for reference In these circumstances, I request that orders may kindly be passed to appoint a graduate surveyor and to permit the municipality to carry out the water works costing Rs 1,000 or below, the Water Supply Executive Engineer being consulted in all instances in which technical points are involved or where submains of over 3" diameter are concerned

I have the honour to be,
Sir,
Your most obedient servant,

PRESIDENT.

BS

No M 4248/43-44
Encl 1

Office of the President
City Municipal Council Mysore
Date 12th Sept 1945

From

R Ramachandra Rao Bhombore, Esq B A
President City Municipal Council
MYSORE

ADDITIONAL SECRETARY
No To
Date 17/9
GOVERNMENT OF MYSORE

J B Mallaradhya, Esq , M A ,
Additional Secretary to Government,
BANGALORE

Sir,

With reference to correspondence ending with your letter No L 2217/M1 80-42-16 dated the 20th August 1943 stating that it would be sufficient for the present to employ an Engineer-Overseer to work directly under the President, and that the proposals now made differ in all respects from the decisions reached on the several points in the meeting held on 10-2-1943, I have the honour to state that the proposals made do not differ in all respects as stated, but only in respect of the following items -

(i) Appointment of Assistant Engineer - In the meeting a Sub Engineer was proposed, but in this office letter dated 15-4-1943, an Assistant Engineer was proposed for reasons explained therein

(ii) In the meeting it was agreed that in cases in which technical points are involved or where submains of over 2½" diameter are to be tapped, the work should be done after obtaining necessary permission from the Sanitary Engineer But in the proposals submitted in this office letter of the 15th April 1943, it was stated that 3" submains may be inserted in lieu of 2½" submains since in many cases 3" submains are to be put in for want of 2½" submains

It is true that the question of transfer of the distribution system of V V Water Works with all the existing staff was not mentioned in the list of decisions arrived at in the meeting held in the Chamber of the Minister for L S G. This is a fresh point raised by the Council for favour of sanction as the Council is of opinion that it would conduce to better working of the water works distribution system

As regards the willingness of the Municipality to the proposal to appoint an Engineer-Overseer to work under the Municipal

81	Providing a public fountain near Chidambara Iyer's temple, Old Bamboo Bazaar Road	24-3-1942	--	10-11-42	Work under progress 87- 0- 0
82,	Purchase of 10 H P Electric Motor	12-6-1942			1145- 0- 0
				Total	69,834- 6- 8

SNR) 2

PRESIDENT

S.	Name of work	Amount of original estimate	Amount of revised estimate	Remarks
1	Providing a public fountain and erecting a room in an unfinished building in Sathyama Vastiy's road, Mysore	1318/-	1631/-	7-7-41 4 months delay the estimate for Rs 1318/- sent for 11-11-41 countersignature with No.PQ 67/7-7-41 was returned counter- 21-12-41 signed with No 1003 dated 11-11-41 of the President Muni- 27-4-42 cipal Council, Mysore. The estimate was sanctioned by 9-7-42 Director of Public Health in No 3 9x-0x dated 21-12-41 27-7-42 The revised estimate for Rs 1631/- was sent with No 1265 27-4-42 This was returned countersigned with No 96 149/ 42-43 dated 9-7-42 The estimate was sanctioned by the Director of Public Health in No 3 107-6/27-7-42
2	Installing a public fountain near No 607 Kadavarahalli	210/-	334/-	14-11-41 2 months delay The estimate for Rs 210/- sent with No 17-1-42 607 dated 14-11-41 was returned countersigned with No. 1 29-1-42 1672 ad. dated 17-1-42 This was sanctioned on 29-1-42 1-3-42 Revised estimate for Rs 334/- was sent with No 1275 dated 23-3-42 23-4-42 This was countersigned and returned with No.96. 7-7-42 149/42-43 dated 9-7-42 This was sanctioned on 22-7-42.
3	Providing a public fountain in Adi Kadava Road, Jalapuri Mysore.	367/-	562/-	21-10-41 4 months delay The estimate for Rs 367/- sent with No. 22-2-42 503 dated 22-10-41 was returned countersigned with No G.T. 9-3-42 1374 dated 25-2-42 This was sanctioned on 9-3-42 The 29-4-42 revised estimate for Rs 562 was sent with No 1275 dated 9-7-42 29-4-42 This was countersigned and returned with No 96 22-7-42 149/42-43 dated 9-7-42 This was sanctioned on 22-7-42.
4.	Installing three public fountains in Block No 29-30 Agrahara Mohalla, Mysore	1429/-	2100/-	6-10-41 3 months delay The estimate for Rs 1429/- sent with No 11-3-42 448 dated 6-10-41 was returned countersigned in No.M.I.3039 21-3-42 dated 11-3-42 This was sanctioned by the Director of Publi 15-5-42 Health in No.3./44-2/21-3-42. The revised estimate for 17-6-42 Rs 2183/- sent with No No 1029 dated 15-5-42 was returned 3-7-42 countersigned with No. No 3013/41-43 dated 17th June 1942. The estimate was sanctioned by the Director of Public Health in No 3.9x-1x dated 3-7-42 The work not taken up. Work was been applied for by the President
5	Providing a public fountain	1200/-	2025/-	21-3-42 3 months delay. The estimate for Rs.1200/- sent with

6. [illegible]	666/-	1108/-	13-5-42	2 months delay. No estimate for [illegible]
			9-7-42	No 1347/19-5-42 was returned countersigned with [illegible]
			2-7-42	dated 9-7-42 [illegible]
			18-[illegible]	[illegible]
			20-10-42	with [illegible] dated 23-10-42 and submitted to the Director of Public [illegible]
7. [illegible]	207/-	285/-	[illegible]	2 months delay. No estimate for 207/- sent with [illegible]
			14-11-41	327/4-9-42 is countersigned and returned with No [illegible]
			3-12-41	dated 14-11-41. No estimate was sanctioned on 3-12-41
			9-7-42	the revised estimate for 207/- was sent [illegible]
			29-7-42	dated 3-7-42 and returned countersigned with [illegible]
8. Installing a public fountain [illegible]	342/-	619/-	1-9-42	dated 29-7-42 and sanctioned on [illegible]
			17-[illegible]-42	1 month delay. No estimate for 342/- sent with [illegible]
			[illegible]-42	[illegible]
			14-6-42	dated 20-5-42 [illegible]
			11-7-42	revised estimate for [illegible]
			23-10-42	[illegible]
[illegible]	[illegible]	[illegible]	9-1-42	1410/10-12-41 and sanctioned on 9-1-42. Revised estimate for [illegible]
				[illegible]
			29-[illegible]-42	1 month delay. Estimate sent with [illegible]
10. Installing a public fountain by the side of [illegible]	104/-	201/-	29-6-42	received countersigned [illegible]
			1-7-42	estimate sent with [illegible]
			-[illegible]-42	dated 26-11-42 -do- -do-
11. Installing a public [illegible] by the side of [illegible]	104/-	201/-	26-11-42	-do-
			1-12-42	-do- -do- -do-
12. Shifting public fountain [illegible]	61/-	191/-		-do-
13 [illegible]	12380/-	15335/-		The delay was due to the Area Overseer Bhurwati not being able to supply the G.I. pipes

" C o p y "

D Ramaswamy

Director of Public Health

was sanctioned 10-1-42 and the excess is due to enhancement in rates

Under these circumstances it is to be stated that the statement made by the Municipal President that inordinate delays are due to the hold up in this office and that his proposed change would conduce to more rapid work does not seem to be based on facts As regards his proposals, I wish to invite kind reference to this office No 53 dated 11th July 1942 to you and on account of reasons mentioned therein, the Municipal President's proposals do not at all seem to be acceptable In his former letters, the limit he had placed for getting work directly executed by him was Rs 500/- which he now has raised to Rs 2,500/-

-o-

"Copy"

Director of Public Health

JBR

Letter No.831 dated 18th December 1942 from the Sanitary Engine Bangalore, to the Director of Public Health in Mysore, Bangalore

--

Subject - Suggestion by the President, City Municipal Council, Mysore, that in future all water supply improvement works in the Mysore City to the limit of Rs 2,500/- may be got done by the Municipal President with the direct assistance of the Superintendent, Vani Vilas Water Works, Mysore

---

With reference to your Memo No A 102-90 dated 17th November 194 forwarding copy of letter to A 90 dated 19th November 1942 in the matter, I have the honour to state as below :-

A statement giving the complete details with regard to the 13 wor pointed out by the President, City Municipal Council, Mysore, is encl The Municipal President in his letter has stated that 'On account of considerable delays in the execution of these works in the Sanitary Bu it has meant financial loss to the Municipality , and on this account he proposes the charges recommended by him From the statement it is seen that the delays are on the part of the Municipal President himself in countersigning and then returning the estimates to this office for execution In the case of items 1, 3 and 4 the delays are for 4 and 5 months while in other instances, the delays are mostly two months This was pointed out to him in this office No letter No 1432 dated 31st May 1942 and copy of the same was sent to you with this office No 53 dated 11th July 1942 In these days of day to day fluctuation of price the great delay on the part of the Municipal President himself in counte signing and returning the estimates has been responsible for the excess charges To assist in quick execution I have also in my above letter No 1432 dated 31st May 1942 to him intimated that the Superintendent, Vani Vilas Water Works, Mysore, would be authorised to take up any work and put in to execution immediately pending both sanction to the estimat and allotment of funds, no sooner he writes to him that the work should be urgently taken up In none of these instances, has such advice been given Item Nos 5 and 9 have not yet been received countersigned by him Item No 4 has been withdrawn by the Municipal President and money asked to be refunded 7 out of the 13 are completed and the rest are under various stages of execution So far as 13 is concerned, the work cannot be taken up on account of want of C I pipes from Mysore Iron and Steel Works, Bhadravathi, who are being reminded constantly f further. in this case the original estimate that was ser

G R S App F VI—G 2]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue 18-7-46 194

Signed by M. G. Rao

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette Kannada Part ?

Section M

File No 11—45

Serial No 96

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Correspondence ending with letter No M4, 248/43-44 dated 12-9-45 from the President City Municipal Council Mysore, requesting sanction to the Resolution dated 26-5-45 of the City Municipal Council to appoint a graduate Surveyor for the Execution of water Supply works costing Rs 1000 or less, in the Mysore City, the Executive Engineer Water Supply Division being ~~appointed~~ consulted in all instances in which technical points are involved or—

Order thereon—No

where Submains of over 3" diameter are concerned

2) W.O. Note No 1058/S dated 18-12-45, from the Chief Engineer (Irrigation) on the subject.

order Lro 6982-4 dated 18.1.46 with a view to simplifying the existing procedure in the execution of water supply works, Tuticorin city, and in order to obviate the delay now occurring in carrying out the works relating to the distribution system within the several parts of the city, the President, Tuticorin City Municipal Council has requested sanction a) to the appointment of a graduate surveyor to work under ~~the President, Tuticorin City Municipal Council~~ his control, and b) to the ~~works Code~~ and Committee for works - ~~especially those relating to the distribution system~~ - costing Rs 1000/- and below, being carried

List of Enclosures

Copied by

Examined by

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form*)

out by the City Municipal Council, the Executive Engineer, Water Supply Division being consulted in all technical matters.

The proposals have been examined in detail in consultation with the Chief Engineer for Irrigation.

I would observe that the entire position relating to the administration of the water supply arrangements at Mysore has changed owing to the transfer of the Vanivilasa water works at Mysore from the Bureau of Sanitary Engineering to the P.W.D. With the cessation of the hostilities, conditions are returning to normal and it is expected that no delay would occur in carrying out the contribution works relating to the Mysore City water supply

WD 0565—GPB—22 500—8 11 38

Government ~~therefore~~ therefore
~~Consider that~~ there is no need
to alter the present system
of working
Sanction is accorded to
the employment of an additional
Surveyor on the usual grade
pay and allowances, in the
Mysore city Municipality, to
work under the Assistant
in Engineer, Pamvilala Water
d works, Mysore, exclusively
for ~~the above purpose~~ attending to the execution of the water supply (contributory) & distribution works within the city area
c The recurring charges on this
account will be ~~borne by~~ met entirely
~~the~~ out of the funds of the
Mysore city Municipality

From
b Sir Revenue Secy
to The President City Municipality, Mysore ✓
" Chief Engr for Irrign ✓
" Comptroller

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

R E A D.-

Correspondence ending with letter No M 1-248/43-44 dated 12th September '45. from the President, City Municipal Council, Mysore, requesting sanction to the resolution dated 26th May 45, of the City Municipal Council to appoint a graduate Surveyor for the the execution of Water Supply works costing Rs 1,000/- or less, in the Mysore City, the Executive Engineer, Water Supply Division, being consulted in all instances in which technical points are involved or where mains of over 3" diameter are concerned

2 Unofficial Note No 1058/3 dated 10th December '45, from the Chief Engineer for Irrigation on the subject.

****

ORDER NO L 6982-4/Rev 11-45-98

BANGALORE, DATED THE 8 JANUARY 1946

With a view to simplifying the existing procedure in the execution of water supply works, Mysore City, and in order to obviate the delay now occurring in carrying out the works, relating to the distribution system in the several parts of the City, the President, Mysore City Municipal Council has requested sanction

(a) to the appointment of a graduate surveyor to work under his control and

(b) to the contribution works - costing Rs 1,000/- and below, being carried out by the City Municipal Council, the Executive Engineer, Water Supply Division being consulted in all technical matters

The proposals have been examined in detail in consultation with the Chief Engineer for Irrigation

Government observe that the entire position relating to the administration of the Water supply arrangements at Mysore, has changed, owing to the transfer of the Vani Vilasa Water works at Mysore, from the Board of Sanitary Engineering to the Public Works Department With the cessation of the hostilities, the conditions are returning to normal and it is expected that no delay would occur in carrying out the contribution works relating to the Mysore City water supply There is, therefore, no need to alter the present system of working

Sanction is accorded to the employment of an additional Surveyor on the usual grade pay and allowances, in the Mysore City Municipality, to work under the Assistant Engineer, Vani-Vilas Water works, Mysore, exclusively for attending to the execution of the water supply distribution (contribution) works within the City area

The expenditure on this account will be met entirely out of the funds of the Mysore City Municipality

SECRETARY TO GOVERNMENT
REVENUE DEPARTMENT

To

The President, City Municipal Council, Mysore

The Chief Engineer for Irrigation

The Comptroller to Government of Mysore

GEN & F & SECRETARIAT
16 MAR 1946
6448
L S G BRANCH

Office of the President,
City Municipal Council Mysore

No I 4c 248/43-44
Encl one

Date 11th March 19 46

From

R Ramachandra Rao Bhombore, Esq B A,
President City Municipal Council,
MYSORE

FU 11-45-1419

J B allaradhya, Esq , I F ,
Revenue Secretary to Government,
Bangalore

Subject Appointment of a Surveyor for the execution of water supply orks costing ~~Rs 1000/-~~ Rs 1000/- or less

--

Adverting to G O no L 6982-4/11 11-45-98 dated 18-1-46 sanctioning the employment of an additional surveyor on the ~~xxuxx~~ usual grade pay and allowances to work under the Assistant Engineer, Vanivilas Water Works in connection with the above, I have the honour to enclose herewith a copy of the resolution of the municipal council passed at their meeting held on the 26th Feb 1946 while recording the above Government Order, and to request that orders of Government in regard to the request of the municipal council may kindly be obtained and communicated early.

I have the honour to be,
Sir
Your most obedient servant,

President

BS

Office of the President,
City Municipal Council, Mysore,
Dated the 6th March 1946.

Proceedings of the Adjourned General Meeting of the Municipal Council held on Tuesday the 26th February 1946 at 4 P.M.

PRESENT

1 R.Ramachandra Rao Bhombore, Esq., B.A., President.
2.A.Krishnamurthy Rao, Esq., Vice-President.
3.L.M.Jois, Esq., L.A.,
4.T.Narasimha Iyengar, Esq., B.A., B.L.,
5 P.Narayanaswamy, Esq., B.A., B.L.,
6.Agaram Ranglah, Esq.,
7.K.A.Satyanarayana Rao, Esq.,
8.T.Lariappa, Esq., L.A., LL.B.,
9.G.R.Ranganswamiah, Esq.,
10.L.V.Venkataramiah, Esq ,
11.L.S.Nanjappa, Esq.,
12.G.Janardhan Naidu, Esq.,
13.T.Chandrasekharagowda, Esq.,
14.V.N.Daseppa, Esq.,
15.U.L.Ramachandra Rao, Esq.,
16 F.C.Devaraj Urs, Esq.,
17.Gulam Ahamed Khan, Esq.,
18.Mohammad Sait , Esq.,

ABSENT.

1.P.Sitaramiah, Esq., B.A., B.L.,
2.A.N.Suryanarayana Rao, Esq.,
3.Srimati Kaveri Bai
4.H.Thammiah, Esq.,
5.M.R.C.Basappa, Esq.,
6.E.P.Nanjappa, Esq.,
7.Chowdiah, Esq.,
8.Patnam Srinivasa Setty, Esq.,
9.Dr.A.V.Ranga Rao
10.Mrs.M.H Theobald
11.T.Venkataramaniah, Esq.,
12.K.Siddiah, Esq.,
13.T.S.Ali Khan, Esq.,

Deferred Subject No 705 G O No L 6982-6/ L1 45-98 dated 18-1-46 stating that there is no need to alter the syster of the execution of water supply works carried out by the Vanivilas Department at Mysore, and sanctioning however the employment of an additional surveyor on the ususal grade pay and allowances to attend to the work of water supply distribution work exclusively and to work under the Assistant Engineer of V V Water Works

Resolution The Municipal Council is not agreeable to the appointment of an additional surveyor to work under the Assistant Engineer, Water Works The council has no objection to the appointment ~~xxxxx~~ provided the Surveyor works under the control of the President, Municipal Council The original resolution of the Council may be brought once again to the notice of the Govern ent

Sd R Ramachandra Rao Bhombore,
President

"Copy"

President

BS

5/3/46

G R S App F VI—G 2]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue 18.4.1946

Signed by

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette Kannada Part ?

Section 14

File No 11-45

Serial No 150

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— g.o no L (982-4 / M 11-45-98 dated 18-1-46, Sanctioning the employment of an additional Surveyor on the usual grade pay and allowances to work under the Assistant Engineer, Vanivilas water works, Mysore, in connection with the execution of water Supply works costing Rs 1000 or less in the limits of the Mysore,

Order thereon—No.

2) Correspondence ending with letter no M-4-C-248/43-44 dated 12-3-46, from the president, city Municipal Council, Mysore, requesting, in the circumstances stated therein, sanction to the

resolution dated 26-2-46 of the Municipal Council to the effect that the Surveyor in question should work under the control of the president city Municipal Council Mysore instead of under the control of the Asst. Exec. Vanivilas water works, Mysore as stated in the G.O. read above

---

order No. 41339-44 of the G.O. dated 18/1/46 read above, is modified to the

The arrangement proposed in the above resolution of the Mysore City Municipal Council is sanctioned, for a period of one year

for

Jer Revenue Secy

1/ The President City Mcl. of Mysore
2/ Chief Engr. for Information
3/ CC

List of Enclosures

Copied by

Examined by

WD 087—GPB—40 000—14 11 40

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

R e a d:-

Government Order No.L.6082-4/M1.11-43-98, dated 18th January 1946, sanctioning the employment of an additional Surveyor on the usual grade pay and allowances to work under the Assistant Engineer, Vani Vilas Water Works, Mysore, in connection with the execution of water supply works costing Rs.1,000/- or less in the limits of the Mysore City.

2. Correspondence ending with letter No.M-4-C.248/43-44 dated 12th March 1946, from the President, City Municipal Council, Mysore, requesting in the circumstances stated therein, sanction to the resolution dated 26th February 1946, of the Municipal Council, to the effect that the Surveyor in question should work under the control of the President, City Municipal Council, Mysore, instead of under the control of the Assistant Engineer, Vani Vilas Water Works, Mysore as stated in the Government Order read above.

Order No. L 11339-41/M11-43-150

Dated, Bangalore, the 18th April 1946.

In modification of the Government Order dated 18th January 1946 read above, the arrangement proposed in the above resolution of the Mysore City Municipal Council is sanctioned, for a period of one year.

By order,
Secretary to Government,
Revenue Department.

To

The President, City Municipal Council, Mysore.
The Chief Engineer for Irrigation in Mysore.
The Comptroller to Government of Mysore.

LC/4.

673
27 APR 1944

91/D.A.

MYSORE REPRESENTATIVE ASSEMBLY,
Budget Session, May-June 1944

.90.- Mr C.Ahamed Khan (Mysore City Muslim Urban).

Will the Government be pleased to state -

(a) whether they are aware that the distribution of water in the City is very unsatisfactory,

(b) whether they are aware that thousands of complaints have been made to the City Municipal Council during the months of February, March and April 1944 against the Water Supply authorities for the continuous stoppage of flow of water for a number of days,

(c) whether it is not a fact that City Municipal Council had requested the Government to entrust the distribution of water to the Council itself,

(d) if the answer is in the affirmative, when such a request was made,

(e) whether the request was granted by the Government,

(f) if the answer to the above question is in the negative, what are the reasons for not having granted their legitimate request?

Some memo signed by me, calling for replies from to PWD, Mysore, City Municipal before the 5th July 1944

27/6/44

Send 10939 & 27/6
To the Dist. Asst. Commr, Mysore. Calls for draft replies —

O.T.O.

Q 104

Continuation Sheet

91/B/A

File No / Current No

67370 6...

of 2

Page

Letter No M64-39/43-44 dy 3-5-44 from the Polt, Cff mc cl, Mysore, furnishing draft replies.

"L V

Draft replies are suggested for appl

KMG 9/5

May be approved as remi

Law dept

MWBS

May be approved

Chs

12 5 44

Secy

Vtg

18 5 44

Home

Secy

19/5

T.S

pl typewrite

RA office for Kindly taking 3 Copies of replies & returning the file

KMG 22/5

Copies letter 23/5

BVM 23/5

13 5 44 No 7917

TYPING SECTION 12 MAY 1944 GEN'L SECT'T

OFFICE OF THE SECRETARY MWBS 2 MAY 344 REPRESENTATIVE ASSEMBLY AND LEGISLATIVE COUNCIL

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

No M4 39/43-44
Encl Encl 1

Date 3 — 5 — 1944

From

R RAMACHANDRA RAO BHOMBORE, Esq B A
PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE

To

C Narayanaswamy Naidu, Esq , B A ,B L ,
Secretary to Government, Law Department
Bangalore

PT O~ MYSORE

GEN & REV SECRETARIAT
6941
5 MAY 1944
G BRANCH

Sir,

With reference to your memo No D.10938 dated 27-4-1944, I have the honour to enclose herewith a statement furnishing the information called for

I have the honour to be,
Sir,
Your most obedient servant,

PRESIDENT.

SNR/-

MYSORE REPRESENTATIVE ASSEMBLY

Budget Session-May-June,44

Question 90 Mr G Ahamed Khan (Mysore City Muslim Urban)

Will the Government be pleased to state -

Questions	Replies
(a) whether they are aware that the distribution of water in the city very unsatisfactory	Yes - to some extent
(b) whether they are aware that thousands of complaints have been made to the City Municipal Council during the months of February, March and April, 1944 against the Water-Supply authorities for the continuous stoppage of flow of water for a number of days	Yes
(c) whether it is not a fact that City Municipal Council had requested the Government to entrust the distribution of water to the Council itself	Yes
(d) If the answer is in the affirmative when such a request was made	The latest reference made was on 15-4-1943 in this office letter No M5-100-463/42
(e) Whether the request was granted by the Government,	No
(f) If the answer to the above question is in the negative, what are the reasons for not having granted their legitimate request?	---

PRESIDENT

SNR/-

Appendix F G —1]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue

Signed by

List of enclosures

Copied by

Examined by

Section

File No

Serial No

No

To

The Pol Sec to Mysore

Sir,

With reference to your the correspondence ending with your letter No M5-100-463/42 dt 7/16 4 43 on the matter of entrusting the works connected with the distribution system of water supply in Mysore city to the Hd agency etc, I am directed to state that under the above unnecessary expenditure and complexity in view of the smallness of the works proposed to be executed, it would be sufficient to appoint

That the proposals now made by you differ in all respects from the decision reached at the Secretariat discussion held on the 16th Feb 43 that the D.W. do not accept Govt consider that it is unnecessary to appoint a separate engineer to supervise at present

WD 04161—GPS—60 000—24 10 41

an Engineer overseer on Rs 90-5-120/- [illegible] and that the [illegible] of [illegible] 2½" proposed by you, is also not desirable

In the circumstances, I am to inform you that only an Engineer overseer will be sanctioned by us under you with [illegible] proposals and that the other proposals [illegible] cannot be sanctioned

Keeping in view all the facts stated above [illegible] to grant the sanction

Keeping in view all the facts referred to above [illegible] may be made to grant for [illegible] sanctioned

Lastly the question of transferring the [illegible] with Municipal council was [illegible] contemplated & so it does not arise at all

Yours faithfully to Govt

Memo No.

Copy of the above is forwarded to the Dire of P H for information with reference to the correspondence ending with his letter no

102-260 07/8/43.

B O

In secy, Law Deptt

MYSORE REPRESENTATIVE ASSEMBLY.

Budget Session of June, '44.

Question 90: Mr. G. Ahamed Khan (Mysore City Muslim Urban).

Will the Government be pleased to state:-

Questions.	Replies.
(a) Whether they are aware that the distribution of water in the city is very unsatisfactory.	Yes-to some extent.
(b) Whether they are aware that the cards of complaints have been made to the City Municipal Council during the months of February, March and April, 1944 against the Water-Supply authorities for the continuous stoppage of flow of water for a number of days;	Several complaints have been made.
(c) Whether it is not a fact that City Municipal Council had requested the Government to entrust the distribution of water to the Council itself.	Yes.
(d) If the answer is in the affirmative when such a request was made.	On 16-4-1943.
(e) Whether the request was granted by the Government.	No.
(f) If the answer to the above question is in the negative, what are the reasons for not having granted their legitimate request?	The present arrangement is considered to be suitable.

---

for Secretary to Government,
Law Department.

sgn/-.